

List of Animals from Kakamega Forest (Kenya) and Budongo Forest (Uganda) with Voucher Specimens in the Department of Zoology of the National Museums of Kenya

R. Bagine, B.A. Bwong, P. Gichuki, M. Gikungu, T. Imboma, D. Karanja, W. Kinuthia, E. Kioko, O. Kioko, P.K. Malonza, J. Mugambi, M. Mungai, M. Mutua, R. Mwakodi, N. Nalanya, E. Njagi, J. Odanga, N.E. Otieno, J. Wachira, D.V. Wasonga, H. Oyiyeke, J.M. Muriuki, S. Ingrisch, C. Lange, M. Muchai, K.-H. Lampe†

Abstract. Lists of species from the Kakamega Forest in Kenya and the Budongo Forest in Uganda documented by voucher specimens in the National Museums of Kenya in Nairobi are given. 1371 species from Kakamega, of which 93 are vertebrates, 1278 invertebrates (insects and molluscs), are listed, and 611 species from Budongo with 21 vertebrates, 590 invertebrates. The results for Lepidoptera, Odonata, Tephritidae (Diptera), Aves, Reptilia and Amphibia are compared with previously published species lists for the Kakamega Forest.

Key words. East Africa, Kakamega Forest, Budongo Forest, species lists, Mammalia, Aves, Reptilia, Amphibia, Actinopterygii, Insecta, Mollusca

INTRODUCTION

Evaluating the importance of areas under consideration for the survival of a rich biodiversity, an assessment of the natural resources is necessary. This can be done by long-term investigations or by a short rapid assessment. Often, biodiversity rich areas have already been regularly researched for a variety of biota over time and voucher specimens have been deposited in museum collections. Although the results of those investigations are often already published, this is done scattered over various journals and books or nowadays online, depending on the number of biota studied, and the interests of the researchers concerned. Sum-ups for all animals of a given area are rare.

The aim of the present paper is to give a list of all species of the Kakamega Forest and Budongo Forest that are presented by identified voucher specimens in the National Museums of Kenya (NMK). Moreover, we make a comparison of our list with species lists for the Kakamega Forest of recent investigations made during the BIOTA East Africa project and published online. Species lists for the following taxa are available: Dragonflies (Clausnitzer 2010), fruit flies (Copeland 2010), bees (Gikungu & Hagen 2010), ants (Hita & Fischer 2010), Lepidoptera (Kühne et al. 2010), birds (Templin 2010), amphibians and reptiles (Wagner & Lötters 2010a, b). We restrict our comparisons to Lepidoptera, Odonata, Tephritidae (family of Diptera), Aves, Reptilia and Amphibia that are represented in high enough species numbers on our list to be worthwhile the comparison. Species presented by vouchers in NMK that are also listed in one of the species lists cited are marked by an asterisk (*).

RESULTS AND DISCUSSION

Based on collection objects in NMK Department of Zoology, preliminary digital species lists for Kakamega Forest in Western Kenya and Budongo Forest in Uganda were created with 1372 species and subspecies from Kakamega and 611 taxa from Budongo. Those numbers are based on voucher specimens exclusively collected in those areas. Most species documented by vouchers at NMK are invertebrates. Of these, the group with the highest number of documented records are Lepidoptera (799 species from Kakamega and 484 from Budongo) followed by Coleoptera (230 and 78), Diptera (119 and 3), Heteroptera (51 and 10), Odonata (19 and 14), Hymenoptera (28 and 1), Mollusca (12 and 0), Homoptera (11 and 0), and Orthoptera (9 and 0). Of the vertebrates, most documented species belong to reptiles (33 species from Kakamega and 2 from Budongo), followed by birds (26 and 10), mammals (19 and 2), amphibians (8 and 7) and fish (7 and 0).

A comparison of the taxonomic group with most species digitised, Lepidoptera (799 species from Kakamega forest alone), with the online-list "Butterflies and moths of Kakamega Forest" by Kühne et al. (2010) with 973 species shows that only about a quarter of the species are mentioned in both lists, which would give a combined list of over 1566 species. Congruence and difference between both lists differ between the families of Lepidoptera considered (Tab. 1). While diurnal butterflies as Nymphalidae, Pieridae or Lycaenidae but also some large moths as Saturniidae and Sphingidae are more comprehensive in the list of Kühne et al. (2010), nocturnal moths as Noctuidae and Geometridae or micro moths as Crambidae are more

comprehensive in the NMK list. This example shows that it is important to consider all information available to get an impression of the biodiversity of the area under consideration. The other animal groups compared are more

comprehensive in the previously published species lists. But with the exception of Amphibia, the vouchers in NMK extend the number of known species from the Kakamega Forest (Tab. 2).

Table 1. Species numbers in families of Lepidoptera from Kakamega Forest represented by voucher specimens in NMK compared to numbers in Kühne et al. (2010).

family	species numbers		shared species	calculated total number
	in NMK	Kühne et al. 2010		
Anomocotidae	2	0	0	2
Arctiidae	45	149	19	175
Bombycidae	2	5	1	6
Brahmaeidae	0	4	0	4
Cossidae	4	0	0	4
Crambidae	43	1	1	43
Drepanidae	3	0	0	3
Epiplemidae	2	0	0	2
Eupterotidae	9	13	2	20
Geometridae	158	37	3	192
Gracillariidae	1	0	0	1
Hepialidae	2	0	0	2
Hesperiidae	42	103	28	117
Lasiocampidae	22	58	15	65
Lecithoceridae	1	0	0	1
Limacodidae	15	5	4	16
Lycanidae	50	135	33	152
Lymantriidae	41	68	22	87
Metarbelidae	4	0	0	4
Noctuidae	189	13	4	198
Nolidae	9	0	0	9
Notodontidae	27	33	6	4
Nymphalidae	40	198	24	214
Papilionidae	13	14	8	19
Pteridae	7	39	6	40
Pterophoridae	3	0	0	3
Pyridae	15	1	0	16
Riodinidae	1	1	1	1
Saturniidae	18	38	8	48
Sesiidae	2	1	1	2
Spingidae	26	56	20	62
Tineidae	1	0	0	1
Uraniidae	1	1	0	2
Zygaenidae	1	0	0	1
Sum	799	973	206	1566

Table 2. Species numbers of selected animal groups from Kakamega Forest represented by voucher specimens in NMK compared to numbers in Clausnitzer (2010), Copeland (2010), Kühne et al. (2010), Templin (2010), or Wagner & Lötters (2010a, b).

systematic group	species numbers		shared species	calculated total number
	in NMK	previously publ.		
Lepidoptera	799	973	206	1566
Odonata	19	72	15	76
Tephritidae (Diptera)	48	137	35	150
Aves	26	488	25	489
Reptilia	33	61	25	69
Amphibia	8	24	8	24

LISTS OF SPECIES**Kakamega Forest****PHYLUM Chordata****FAMILY Hystricidae****CLASS Mammalia***Atherurus africanus* Gray, 1842**ORDER Artiodactyla****FAMILY Muridae****FAMILY Bovidae***Hylomyscus stella* (Thomas, 1911)*Aepyceros melampus* (Lichtenstein, 1812)*Lemniscomys striatus* (Linnaeus, 1758)*Cephalophus harveyi* (Thomas, 1893)*Lophuromys flavopunctatus* Thomas, 1888*Cephalophus monticola* (Thunberg, 1789)*Oenomys hypoxanthus* (Pucheran, 1855)*Praomys jacksoni* (de Winton, 1897)**ORDER Chiroptera****FAMILY Nesomyidae****FAMILY Nycteridae***Cricetomys gambianus* Waterhouse, 1840*Nycteris* sp.**FAMILY Sciuridae****FAMILY Pteropodidae***Heliosciurus rufobrachium* (Waterhouse, 1842)*Hypsignathus monstrosus* H. Allen, 1861**CLASS Aves***Eidolon helvum* (Kerr, 1792)*Myssomycetes angolensis* (Bocage, 1898)**ORDER Coliiformes****FAMILY Rhinolophidae****FAMILY Coliidae***Hipposideros caffer* (Sundevall, 1846)*Colinus striatus* Gmelin, 1789 **Hipposideros cyclops* (Temminck, 1853)**ORDER Columbiformes****FAMILY Vespertilionidae****FAMILY Columbidae***Miniopterus inflatus* Thomas, 1903*Columba delegorguei* Delegorgue, 1847 ***ORDER Rodentia***Streptopelia semitorquata* (Rüppell, 1837) ***FAMILY Anomaluridae***Turtur afer* (Linnaeus, 1766) **Anomalurus derbianus* (Gray, 1842)*Turtur tympanistris* (Temminck, 1809) *

ORDER Coraciiformes**FAMILY Meropidae**

- Merops apiaster* Linnaeus, 1758 *
Merops muelleri (Cassin, 1857) *
Merops ornatus (Sharpe, 1892) *

FAMILY Phoeniculidae

- Phoeniculus bollei* (Hartlaub, 1858) *

ORDER Cuculiformes**FAMILY Cuculidae**

- Ceuthmochares aereus* (Vieillot, 1817) *
Chrysococcyx cupreus (Shaw, 1792) *

ORDER Falconiformes**FAMILY Accipitridae**

- Hieraaetus* sp. *
Milvus migrans (Boddaert, 1783) *

ORDER Musophagiformes**FAMILY Musophagidae**

- Corythaeta cristata* (Vieillot, 1816) *

ORDER Passeriformes**FAMILY Hirundinidae**

- Psalidoprocne holometas* (Sundevall, 1850) *

FAMILY Turdidae

- Neocossyphus poensis kakamegoes* Cunningham-van Someren & Schifter, 1981 (usually considered a synonym of *Neocossyphus poensis praepectoralis* Jackson, 1906) (*)

ORDER Piciformes**FAMILY Indicatoridae**

- Indicator exilis* (Cassin, 1856) *
Indicator pumilio Chapin, 1958
Indicator variegatus Lesson, 1830 *
Prodotsicus insignis (Cassin, 1856) *

FAMILY Lybiidae

- Buccanodon duchailui* (Cassin, 1855) *
Trachylaemus purpuratus (Verreaux, J. & Verreaux, E., 1851) *

FAMILY Picidae

- Campethera caroli* (Malherbe, 1852) *
Campethera nivosa (Swainson, 1837) *
Dendropicops fuscescens (Vieillot, 1818) *
Mesopicops xantholophus Hargitt, 1883 *

CLASS Reptilia**ORDER Squamata****FAMILY Agamidae**

- Acanthocercus atricollis* (Smith, 1849) *

FAMILY Atractaspidae

- Atractaspis fallax* Peters, 1867

FAMILY Chamaeleonidae

- Chamaeleo dilepis* Leach, 1819
Chamaeleo gracilis Hallowell, 1844 *
Chamaeleo laevigatus Gray, 1863 *
Trioceros ellioti Günther, 1895 *
Trioceros hoehnelii Steindachner, 1891 *

FAMILY Colubridae

- Dasyplectis atra* Sternfeld, 1912 *
Philothamnus battersbyi Loveridge, 1951 *
Philothamnus bequaerti (Schmidt, 1923)
Toxicodryas blandingii (Hallowell, 1844) *
Lycophidion capense (Smith, 1831) *
Lamprophus fuliginosus (Boie, 1827) *
Thrasops jacksonii Günther, 1895 *
Hapsidophrys lineatus Fischer, 1856 *
Natriciteres olivacea Peters 1854 *
Telescopus semiannulatus (Smith, 1849)
Dispholidus typus (Smith, 1828) *

FAMILY Elapidae

- Dendroaspis angusticeps* (Smith, 1849)
Ophiophagus hannah (Cantor, 1836)

FAMILY Gekkonidae*Cnemaspis elgonensis* Loveridge, 1936 ***FAMILY Lacertidae***Adolfus jacksoni* (Boulenger, 1899) ***FAMILY Scincidae**

Lygosoma anchietae Bocage, 1870 *
Trachylepis maculilabris (Gray, 1845) *
Trachylepis megalura (Peters, 1878) *
Trachylepis quinquaetentata (Lichenstein, 1823) *
Trachylepis striata (Peters, 1844) *

FAMILY Viperidae

Cerastes cerastes Linnaeus, 1758
Atheris hispida Laurent, 1955 *
Causus lichtensteini (Jan, 1859) *
Bitis nasicornis (Shaw, 1802) *
Atheris squamigera Hallowell, 1854 *
Crotalus viridis (Rafinesque, 1818)

CLASS Amphibia**ORDER Anura****FAMILY Arthroleptidae***Leptopelis* sp. ***FAMILY Bufonidae**

Amietophrynus kisolensis (Loveridge, 1932) *
Amietophrynus maculatus (Hallowell, 1854) *

FAMILY Hyperoliidae

Hyperolius viridiflavus viridiflavus (Duméril & Bibron, 1841) *
Kassina senegalensis (Duméril & Bibron, 1841) *

FAMILY Phrynobatrachidae*Phrynobatrachus* sp. ***FAMILY Ptychadenidae***Ptychadena oxyrhynchus* (Smith, 1849) ***FAMILY Pyxicephalidae***Amietia angolensis* (Bocage, 1866) ***CLASS Actinopterygii****ORDER Cypriniformes****FAMILY Cyprinidae**

Barbus altianalis Boulenger, 1900
Barbus mimus Boulenger, 1912
Barbus neumayeri Fischer, 1884
Barbus sp.

ORDER Siluriformes**FAMILY Amphiliidae***Amphilius jacksonii* Boulenger, 1912**FAMILY Clariidae**

Clarias gariepinus (Burchell, 1822)
Clarias liocephalus Boulenger, 1898

PHYLUM Arthropoda**CLASS Insecta****ORDER Odonata****FAMILY Aeshnidae**

Anax mauricianus Rambur, 1842
Anax speratus Hagen, 1867 *

FAMILY Calopterygidae

Phaon tridipennis (Burmeister, 1839) *
Umma saphirina Förster, 1916 *

FAMILY Chlorocyphidae

Chlorocypha curta Hagen in Selys, 1853 *
Chlorocypha tenuis Longfield, 1936 *
Chlorocypha trifaria Fraser, 1950
Platycypha lacustris (Förster, 1914) *

FAMILY Coenagrionidae

Africallagma glaucum (Burmeister, 1839) *
Proischnura subfurcata (Selys, 1876) *
Pseudagrion hamoni Fraser, 1955

FAMILY Lestidae*Lestes virgatus* (Burmeister, 1839) *

FAMILY Libellulidae

- Atoconeura eudoxia* (Kirby, 1909) *
Micromacromia camerunica Karsch, 1890 *
Orthetrum chryso stigma (Burmeister, 1839) *
Orthetrum micro stigma Ris, 1911 *
Orthetrum stemmale (Burmeister, 1839)
Tholymis tillarga (Fabricius, 1798) *
Tramea basilaris (Beauvois, 1817) *

ORDER Orthoptera**FAMILY Acrididae**

- Abisares viridipennis* (Burmeister, 1838)
Acanthoxia gladiator (Westwood, 1842)
Aulosperusia phoeniconota Jago, 1970
Eyrepocnemis plorans (Charpentier, 1825)
Heteracris vineacea (Sjöstedt, 1923)
Mesopsera filum (I. Bolivar, 1890)
Paracoptacra cantia Karsch, 1896
Serpusia lemarneli (I. Bolivar, 1911)
Spathosternum pygmaeum Karsch, 1893

ORDER Heteroptera**FAMILY Coreidae**

- Acanthomia horrida* (Germar, 1838) [now *Clavigralla horrida* (Germar, 1838)]
Anoplocnemis dallasiana Lethierry & Severin, 1894
Anoplocnemis montandoni Distant, 1893
Cletus caffer (Stål, 1855)
Cletus lanciger (Fabricius, 1794)
Cletus ochraceus (Herrich-Schaeffer, 1840)
Hydara tenuicornis (Westwood, 1842)
Leptocoris sordida Distant
Leptoglossus membranaceus (Fabricius, 1781)
Mirperus jaculus (Thunberg 1783)
Mygdonia tuberculosa (Signoret, 1851)
Plectropoda bicolor (Haglund, 1895)
Riptortus dentipes (Fabricius, 1787)

FAMILY Cydnidae

- Cydnus indicus* Westwood, 1837
Legnotus expansus Signoret, 1883
Macroscytus brunneus (Fabricius, 1803)

FAMILY Lygaeidae

- Caenocoris nerii* (Germar, 1847)
Lygaeus grandis Distant
Oncopeltus famelicus (Fabricius, 1781)
Paromius gracilis (Rambur, 1839)

FAMILY Pentatomidae

- Aspavia acuminata* Montandon, 1894
Aspavia armigera (Fabricius)
Aspongopus nigroviolaceus (Pal.)
Aspongopus xanthopterus Fairmaire, 1858
Atelocera raptorica Germar
Libyssa duodecimpunctata (Fabricius, 1798)
Carbula cuneata Distant, 1901
Caura rufiventris (Germar)
Caura yalana Distant, 1912
Cryptacrus comes (Fabricius)
Cyclopelta tristis Stål, 1864
Erachtheus tibialis (Dallas, 1851)
Glypsus conspicius (Westwood, 1837)
Hoploxys coeruleus Dallas, 1851
Hotea acuta Stål, 1865
Hotea subfasciata (Westwood, 1837)
Levida punctata Palisot de Beauvois, 1805
Piezodorus pallescens (Germar, 1838)
Piezosternum calidum (Fabricius, 1787)
Scotinophara fibulata (Germar, 1839)

FAMILY Pyrrhocoridae

- Dysdercus nigrofasciatus* (Stål, 1855)
Dysdercus superstitiosus Fabricius, 1775
Dysdercus ugandanus Schouteden, 1912
Leptocoris aethiops (Distant, 1901)

FAMILY Reduviidae

- Cleonte ugandensis* Distant, 1912
Cleptria mombasae Distant, 1902
Coranus sp.
Pirates dimidiatus Walker, 1873
Platymiris sp.
Rhinocoris ornatellus Distant, 1903

FAMILY Veliidae

- Cyrtocvelia kenya* Polhemus & Copeland, 1996

ORDER Homoptera**FAMILY Cercopidae**

- Locris sanguinipes* (Walker, 1851)
Pyelus eburneus Walker, 1851
Trieophora variabilis Distant, 1908

FAMILY Cicadellidae

- Tettigoniella* sp.

FAMILY Cicadidae*Platypleura rutherfordi* Distant, 1883**FAMILY Derbidae***Diostrombus gowdeyi* Distant, 1914**FAMILY Flatidae***Flatina rubroincta* (Haglund, 1899)**FAMILY Membracidae***Anchon nodicornis* Germar, 1835**FAMILY Psyllidae***Trioxa carvalhoi* Hollis, 1984*Trioxa catlingi* Hollis, 1984**FAMILY Tettigometridae***Hilda patruelis* Stål, 1855**ORDER Coleoptera****FAMILY Anthribidae***Xenocerus latifasciatus* Jordan, 1894**FAMILY Apionidae***Apoderus centralis* Hustache, 1921**FAMILY Attelabidae***Apoderus centralis* Hustache, 1921*Apoderus tolerans* Faust, 1894**FAMILY Bostrichidae***Apate monachus* Fabricius, 1775*Heterobostrychus brunneus* (Murray, 1867)*Xyloperthella crinitarsis* (Imhoff, 1843)**FAMILY Brentidae***Orfilata vulsellata* (Gyllenhal, 1833)*Amorphocephalus princeps* Kleine, 1916*Anisognathus distortus* Westwood, 1849**FAMILY Carabidae***Agomum rugicolle* Chaudoir, 1846*Cerapterus laferiei* Westwood, 1850*Chlaenius diephelus* Alluaud, 1934*Chlaenius congoensis* Basilewsky, 1949*Chlaenius laetoides* Burgeon, 1935*Chlaenius episcopalus* Dejean, 1831*Craspedophorus pseudofestivus* Burgeon, 1930*Craspedophorus stenocephalus* (Reiche, 1847)*Crasodactylus punctatus* Guérin-Meneville, 1847*Diatypus kivuensis* Burgeon, 1936*Drypta collaris* Klug, 1834*Lobodontus gentilis* (Péringuey, 1896)*Macrochilus bipagiatus* (Boheman, 1848)*Parachlaenius diacritus* Alluaud, 1930*Paussus spirocoxis* (Westwood, 1850)*Paussus manni* Reichensperger, 1925*Pheropsophus kersteri* Gerstaecker, 1866*Platymetopus rectangularis* Burgeon, 1936*Stereostoma stuhlmanni* Straneo, 1958**FAMILY Cerambycidae***Acanthophorus maculatus* Lameere, 1903*Aulacopus natalensis* White, 1853 = junior synonym of*Aulacopus reticulatus* Audinet-Serville, 1832*Cantharocnemis burchelli* Westwood, 1866*Ceroplesis calabarcica* Chevrolat, 1858*Ceroplesis hamiltoni* Aurivillius, 1915*Closteromerus claviger laevipes* Fairmaire, 1887*Coptops aedificator* (Fabricius, 1792)*Neoplocaederus spicicornis* (Fabricius, 1781)*Cylindrothorax balteatus* (Heath, 1903)*Dichostates flavopictus* (Quedenfeldt, 1882)*Monoxemus turriifer* Aurivillius, 1914*Phrosyne brevicornis* (Fabricius, 1775)*Chromacilla igneicollis purpureocincta* (Aurivillius, 1914)*Glenea insignis* Aurivillius, 1903*Nupsesha strigicollis* Fairmaire, 1893*Nupsesha vitticollis* Kolbe, 1893*Obereopsis obscuritarsis ugandicola* Aurivillius, 1926*Oligosmerus limbalis* (Harold, 1880)*Phrynetoides regius* (Aurivillius, 1886)*Zographus regalis* (Browning, 1776)*Tragocephala nobilis* (Fabricius, 1787)*Tragocephala nobilis* var. *gorilla* Thomson, 1857*Xystrocerca nigrita* Audinet-Serville, 1834**FAMILY Chrysomelidae***Afrocandzeza tutseki* Wagner & Scherz, 2002*Asbecesta festiva* Laboissiere, 1919*Aspidomorpha quinquefasciata* (Fabricius, 1801)

Aspidomorpha chlorotica (Olivier, 1808)
Aspidomorpha tecta Boheman, 1854
Belona sagonai Laboissière, 1921
Bonesia montana Gahan, 1909
Callispa testacea Kraatz, 1895
Cassida flaccida Spaeth, 1924
Ceralces natalensis ab. *sansibarensis* Weise, 1895
Chrysolina opulenta Reiche, 1850
Mantura limbata Allard
Conchyloctenia hybrida (Boheman, 1854)
Dactylispa pubicollis (Chapuis, 1877)
Dactylispa tenella (Péringuey, 1898)
Plalypria (Dichirispa) aurocarnis Gestro, 1923
Dorcathispa bellicosa (Guérin-Ménéville, 1841)
Duvivieria paradoxa Dalman, 1823
Exora pusilla Gerstaecker, 1871
Gabonia tibialis Scherer & Boppré, 1997
Gabonia fulvicornis Scherer & Boppré, 1997
Gabonia impressipennis Laboissière, 1942
Gabonia punctipennis (Laboissière, 1939)
Gabonia rufipes Bryant, 1948
Gabonia latimana Laboissière, 1942
Gabonia carinulata Bechyne, 1960
Gynandrophthalma ochropus Har.
Gynandrophthalma apicata (Jac.)
Himerida clavareau Jacoby, 1901
Hyperacantha inaequalis Chapuis, 1879
Macrocoma aureovillosa (Marshall, 1865)
Megalognatha rufiventre Baly, 1878
Megalognatha cyamipennis Weise, 1902
Mimastroides usambarica Weise, 1902
Monolepta quadricornata Laboissière, 1940
Oides typographica Ritsema, 1875
Pachytoma gigantea (Illiger, 1800)
Podagrica viridipennis (Bry)
Pseudomela nigripennis Jacoby, 1900
Sebaetha sp.

FAMILY Cicindelidae

Elliptica kenyana interior Werner, 1999
Myriochile flavidens (Guérin, 1849)
Prothyma versicolor (Dejean, 1825)

FAMILY Coccinellidae

Chelomenes sulphurea (Olivier, 1791)
Afidenta intermedia (Weise, 1926)
Epilachna rhombophoroides Fürsch, 1960
Chilocorus schioedei Mulsant, 1850
Chilocorus nigripes Mader, 1954
Coelostoma rutarum Orchemont, 1936
Epilachna cormosana Gestro, 1870
Henosepilachna nympa (Arrow, 1909)

Henosepilachna biplagiata (Kolbe, 1897)
Henosepilachna hirta (Thunberg, 1781)
Epilachna dregei Mulsant, 1850
Henosepilachna bisseptemnotata (Mulsant, 1853)
Henosepilachna amidata (Kolbe, 1897)
Exochomus ventralis Gerstaecker, 1871
Hapalochrus simatipes (Pic, 1911)
Synnymus declaratus Mader

FAMILY Curculionidae

Nemoxenus affixus (Faust, 1894)
Amphimetes transversus (Kolbe, 1897)
Anaplesius granulicollis Marshall, 1935
Blosyrus vestitus van Emden, 1939
Lixus bisulcatus Faust, 1896
Lixus rhomboidalis Boheman, 1843
Lixus kolbei Faust, 1899
Lixus cuneiformis Fähræus, 1871
Mecistocerus signatus Boheman, 1837
Mecysolobus proximus Faust
Nematocerus sulcatus (Hustache)
Rhynchites castaneus Jekel, 1860

FAMILY Dryophthoridae

Sipalus squalidus Kolbe, 1883

FAMILY Elateridae

Propsephus climatus (Cand)
Propsephus brunneiventris Schwarz, 1908
Propsephus olophoeoides Fleutiaux, 1918
Tetralobus villosus Fleutiaux, 1918

FAMILY Endomychidae

Trycherus raffrayi Gorham, 1885
Trycherus josephus Duvivier, 1891

FAMILY Erotylidae

Tritoma anthracina (Gorham, 1900)
Amblyopus ferrugineus (Gorham, 1889)

FAMILY Geotrupidae

Bolbocaffer cafferum (Boheman, 1857)

FAMILY Gyrinidae

Dineutes africanus Aube, 1838
Orectogyrus orientalis Régimbart, 1907

FAMILY Hybosoridae*Phaechronus nitidus* Arrow, 1909**FAMILY Hydrophilidae***Helochares wagneri* Hebauer, 2002**FAMILY Lagriidae***Chrysolagria basicornis* Borchmann*Chrysolagria ugandica* Borchmann*Lagria convexa* Kolbe*Lagria cuprina* Thomson, 1858*Lagria pilosivestis* Kolbe, 1901*Lagria villosa* Fabricius, 1871*Lagria cyanicollis* Borchmann, 1908*Lagria antennalis* Borchmann, 1909*Lagria dermatodes* Fairmaire, 1903**FAMILY Languriidae***Carenolanguria forcipata**Stenolanguria gorhami* Fowler, 1885**FAMILY Lucanidae***Homoderus johnstoni* Waterhouse, 1902*Homoderus melfyi* Parry, 1862*Metopodontus savagei* (Hope, 1842)*Prosopocoelus antilope* Sweder, 1877**FAMILY Meloidae***Hycleus apiticornis* (Guérin-Ménéville, 1847)*Hycleus katonensis* (Pic, 1913)*Epicauta nyassensis* (Haag-Rutenberg, 1880)*Mylabris bifasciata* (De Geer, 1778)*Psalydolytta flavicornis* (Maklin, 1875)**FAMILY Passalidae***Didimus haroldi* Kuwert, 1898*Pentalobus barbatus* (Fabricius, 1801)**FAMILY Platypodidae***Platypus solutus* Schedl, 1933**FAMILY Scarabaeidae***Adoretus pumilio* (Burmeister, 1844)*Adoretus interruptus* Bendererit, 1921*Allogymnopleurus altuandi* (Garreta, 1914)*Caetorrhina barthi* (Harold, 1878)*Coenochilus kamerunensis* Moser, 1918*Copris jacchus* Fabricius, 1775*Copris nepos* Gillet, 1908*Cyprolais selene* (Kolbe, 1899)*Cyprolais loricata* (Janson, 1877)*Diastellopalpus quinqueatus* Bates, 1888*Eudicella cupressoturalis* (Bourgoin, 1913)*Eudicella gralli* (Buquet, 1836)*Eudicella immaculata* Heath, 1904 [1909?]*Gemuchus crassipes* Arrow, 1926*Gnathocera propinqua* Bourgoin, 1921 = junior synonymof *Gnathocera trivittata* Swederus, 1787*Goliathus goliathus* (Drury, 1770)*Heteroligus meles* (Billberg, 1815)*Heteroligus appius* (Burmeister, 1847)*Megalorrhina harrisi* (Westwood, 1847)*Milichus picticollis* (Gerstaecker, 1871)*Neptunides stanleyi* Janson, 1889*Onthophagus simplex* Rallfay, 1877*Onthophagus quadricuspis* d'Orbigny, 1908*Oocamenta* sp.*Pachnoda aemula* Bourgoin, 1919*Pachnoda rubrocincta* Hope, 1847*Pachnoda upangwana* Moser, 1918*Phalops lutatus* (d'Orbigny, 1902)*Pleasiorrhina cinctata* (Voet, 1779)*Popillia graminea* Kolbe, 1894*Proogoderus nigricornis* (Fairmaire, 1887)*Pseudinca vitticollis* Bourgoin*Pseudinca plicatus* Kolbe, 1914*Pseudinca marmoratus roseipennis* Valck Lucassen, 1933*Pseudinca variatus* Bourgoin, 1921*Ptychodesthes schenklingi* Maser, 1917*Pycnoschema scrofa* Harold, 1880*Pycnoschema corpulentum* (Per, 1901)*Rhizoplatys bituberculatus* Klug, 1855*Schizomycha bicolor* (Kolbe, 1895)*Stephanorrhina adelpha* (Kolbe, 1897)*Stichothyrea densata* Kolbe, 1914*Taurhina longiceps* Kolbe, 1892*Trochilus fraterculus* Kolbe, 1913**FAMILY Staphylinidae***Aleochara puberula* Klug, 1833*Aneipleuronma gedyei* Bernhauer, 1936*Eleusis burgeoni* Bernhauer 1934*Mimocete balaena* Fauvel*Osorius marshalli* Bernhauer, 1936*Paederus colonus* Wendeler*Paederus basipes* Fauvel, 1907*Paederus riftensis* Fauvel, 1907*Palaminus continentalis* Bernhauer, 1927*Philonthus rudipennis* Fauvel, 1907*Philonthus discoideus* (Gravenhorst, 1802)

Tolmerimus angusticeps Bernhauer, 1937
Zyras kristenseni Bernhauer, 1915
Zyras variventris (Kraatz, 1859)
Zyras punctiventris Bernhauer, 1915
Zyras curtithorax Bernhauer
Zyras kakamaganus Bernhauer, 1936
Zyras dentatus Bernhauer, 1936

FAMILY Tenebrionidae

Eutochia pulla (Erichson, 1843)
Gonocephalum prominens
Hoplonyx evanescens Gebien, 1904
Hoplonyx monophthalmus Thomas
Lypros stragulatus Gebien, 1921
Pycnocerus gracilis Gebien, 1904
Taraxides punctatus Fabricius, 1801
Toxicum taurus (Fabricius, 1801)

ORDER Lepidoptera

FAMILY Anomoetidae

Anomoetes tenellula Holland, 1893
Staphylinochrous melanoleuca Hampson, 1910

FAMILY Arctiidae

Alpenus maculosa (Stoll, 1781)
Alpenus pardalina (Rothschild, 1910)
Amata kakamega Clifton
Amata monothyris Hampson, 1914
Amerila bubo (Walker, 1855) *
Amerila luteibarba (Hampson, 1901) *
Amerila nigrivenosa (Grünberg, 1910)
Amerila roseomarginata (Rothschild, 1910) *
Amerila thermochroa (Hampson, 1916) *
Amerila vidua (Cramer, 1780) *
Amerila vitrea Ploetz, 1880 *
Amphicalia pactolicus (Butler, 1888) *
Apisa metarctodes Hampson, 1907
Argina amanda (Boisduval, 1847) *
Argina leonina (Walker, 1865)
Automolis (Metarctia) flavicincta (Aurivillius, 1900) *
Automolis (Metarctia) fusca (Hampson, 1901)
Automolis (Metarctia) kenyae (Kiriakoff, 1957)
Automolis (Metarctia) lugubris (Gaede, 1926)
Automolis (Metarctia) pulverea (Hampson, 1907)
Automolis (Metarctia) saymansii (Rothschild, 1910)
Balacra fenestrata Jordan, 1904
Balacra humphreyi Rothschild, 1912
Balacra ratrayi Rothschild, 1910 *
Balacra rubricincta Holland, 1893 *
Balacra rubrostriata (Aurivillius, 1898) *
Creatonotus punctivitta (Walker, 1855)

Crocossia phaeocraspis Hampson, 1914
Diakonoffia kivenensis (Dufranc, 1945)
Elsa postrosea Kiriakoff
Estigmene neurastis Hampson, 1907
Estigmene ochreomarginata Bethune-Baker, 1909 *
Kuja obliquifascia (Warren, 1908)
Marmax semiaurata (Walker, 1854)
Meganactia perpussilla (Walker, 1856)
Nyctemera apicalis Walker, 1854 *
Nyctemera itokina (Aurivillius, 1904) *
Nyctemera ugandicola (Strand, 1909)
Paralacydes decemmaculata (Rothschild, 1916) *
Secusio strigata Walker, 1854
Spilosoma curvilinea Walker, 1855 *
Spilosoma melanodisca (Hampson, 1907) *
Spilosoma sulphurea Bartel, 1903 *
Strigina trepida Whalley, 1971
Teracotona subterminata Hampson, 1901

FAMILY Bombycidae

Ocinara ochraceipennis Strand, 1911
Ocinara ruficollis Strand, 1911 *

FAMILY Chrysopolomidae

Chrysopoloma albidiscalis Hampson, 1910 *
Chrysopoloma theorini (Aurivillius, 1891) *
Chrysopoloma venata Aurivillius, 1895 *

FAMILY Cossidae

Azygophleps nubilosa Hampson, 1910
Cossus kwonius Karsch, 1898
Oreocossus occidentalis Strand, 1913
Xyleutes crassa (Drury, 1780)

FAMILY Crambidae

Agathodes mnisvalis Guenée, 1854
Bocchoris flavibrunnea Hampson, 1898
Bocchoris inspersalis (Zeller, 1852)
Botyodes asialis Guenée, 1854
Cadarena simata Fabricius, 1781
Cirrhochrista grabezewskyi Hering, 1903
Diaphania indica (Saunders, 1851)
Diasemia acalis (Walker, 1859)
Diasemia oressarcha Martin, 1956
Duponchelia fovealis Zeller, 1847
Ethobotys bryalis Hampson, 1918
Eurhypoarodes bracteolalis Zeller, 1852
Filodes cocytusalis Walker, 1859
Ghesquierehana hirtusalis (Walker, 1859)
Glyphodes aniferalis Hampson, 1909
Glyphodes incomposita Bethune-Baker, 1909

Glyphodes stolalis Guenée, 1854
Hydriris ornatalis (Duponchel, 1832)
Lamprophaia ablaetalis (Walker, 1859)
Leucinodes vagans Tutt, 1890
Nepheleolychnis eos (Druce, 1902)
Omiodes indicata (Fabricius, 1775)
Omitzodes rubrifasciata (Butler, 1896)
Orphanostigma abruptalis (Walker, 1859)
Pagyda retractilinea Hampson, 1917
Palpita unionalis (Hübner, 1796) *
Parotis chlorochroalis (Hampson, 1912)
Parotis prasinophila (Hampson, 1912)
Phaenaria stygichroa (Bethune-Baker, 1909)
Pleuroptya balteata (Fabricius, 1798)
Polygrammodes junctilinealis Hampson, 1918
Psara cryptolepis Martin, 1956
Pyrausta auricinctalis Hampson, 1918
Pyrausta fulvilinealis Hampson, 1918
Siemorrhages sericea (Drury, 1773)
Syllepte butleri (Dewitz, 1881)
Syllepte ovalis Walker, 1859
Syngamia falsidicalis (Walker, 1859)
Terastia meticulosalis Guenée, 1854
Udea ferrugalis (Hübner, 1796)
Ulopeza conigerialis Zeller, 1852
Ulopeza phaeothoracica Hampson, 1912
Zebromia phenice Cramer, 1780

FAMILY Drepanidae

Gonoreta opacifinis Watson, 1965
Negera quadricornis Watson, 1965
Uranometra oculata Holland, 1893

FAMILY Epiplemidae

Epiplema asinina Warren, 1905
Epiplema costilinea Joicey & Talbot, 1921

FAMILY Eupterotidae

Hoplojana zernyi Gschwandner, 1923 *
Janomima dannfelti Aurivillius, 1893
Parajana gabunica Aurivillius, 1892
Phasicneucus maculifera Strand, 1912
Phiala flavina Gaede, 1927
Phiala nigrolineata Aurivillius, 1903
Phiala novemlineata Aurivillius, 1911
Phiala strigifera Strand, 1911
Vianga crowleyi Aurivillius, 1894 *

FAMILY Geometridae

Acrostatheus atomaria Warren, 1901
Annemopsyche doleris Plötz

Androzeugma temis (Warren, 1898)
Antharmostes interalbicans Warren, 1902
Aphilopota dicampsis Prout, 1934
Aphilopota fletcheri Carcasson, 1965
Aphilopota symphronima Prout, 1954
Archichlora pulveriplaga (Warren, 1898)
Asthenotricha dentatissima Warren, 1899
Asthenotricha lophoptera (Guenée, 1858)
Asthenotricha serraticornis Warren, 1902 *
Asthenotricha strangulata Herbulot, 1953
Boarmia intrusilinea Prout, 1915
Buzura abruptaria Walker, 1938
Buzura subocularia Mabilie, 1893
Cacostegania australis Warren, 1901
Eois grataria (Walker, 1861)
Chlorissa artiducicornis (Prout, 1916)
Chrysocraspeda rosina Warren, 1898
Cleora argillacea Warren, 1900
Cleora carcassoni Fletcher, 1967
Cleora dactylata Fletcher, 1967
Cleora echinodes Fletcher, 1967
Cleora epichlithra Fletcher, 1967
Cleora eumelana Fletcher, 1967
Cleora melanochorda Fletcher, 1958
Cleora munda Warren, 1899
Cleora pavlitzkiae Fletcher, 1958
Cleora radula Fletcher, 1967
Cleora scobina Fletcher, 1967
Cleora subcincta Warren, 1901
Cleora tulbaghata (Felder & Rogenhofer, 1875)
Collix foraminata Guenée, 1858 *
Colocleora clarivenata Prout, 1918
Colocleora expansa Warren, 1899
Colocleora probola Prout, 1938
Colocleora spuria Prout, 1915
Comibaena flavitaenia Warren
Canolophia rectistrigaria Rebel, 1914
Cosmostolopsis stillata (Felder & Rogenhofer, 1875)
Dioptrichasma specularia Holland, 1893
Dithecodes delicata Warren, 1899
Dorsifulerum cephalotes (Walker, 1869)
Ectropis amisa Prout, 1915
Eois diapsis Prout, 1932
Eois rectifasciata Fletcher, 1958
Epigynopteryx commixta Warren, 1901
Epigynopteryx flavedimaria Guenée 1858
Epigynopteryx impunctata Warren, 1898
Epigynopteryx nigricola Warren, 1897
Epigynopteryx stictigamma Hampson, 1909
Epigynopteryx subspersa Warren, 1897
Epigynopteryx termininota Prout, 1934
Epigynopteryx townsendi Fletcher, 1958
Eupithecia nigribasis (Warren, 1902)
Eupithecia orbaria Swinhoe, 1904
Eupithecia rigida Swinhoe, 1892

- Eupithecia semiflavata* Warren, 1902
Eupithecia thomasina Prout, 1927
Geodena finesta Warren, 1899
Geolyces jocata Prout, 1926
Hemerophila contenta Prout, 1915
Hypocoela turpisaria Swinhoe, 1904
Idaea paraplesia (Prout, 1916)
Idiodes flexilinea (Warren, 1898)
Lambornia inspicens Prout, 1912
Lomographa aridata (Warren, 1897)
Lophorrhachia rubricorpus Warren, 1898
Lophostola annuligera Swinhoe, 1909
Lophostola dimmeri Prout, 1930
Melinoessa amplissima Warren
Melinoessa sodalata (Walker, 1862)
Mesocoela obscura Warren, 1902
Mesothisa gracililinea Warren, 1905
Mesothisa pulverata Carcasson, 1964
Mesothisa substigmata Carcasson, 1964
Metallospora catori Warren, 1905
Miantochora polychroaria Mabille, 1890
Miantochora punctuligera Mabille, 1878
Milocera diffusa (Warren, 1902)
Nothofidonia ansorgei Warren, 1901
Ochrophlutes bifurcata Fletcher, 1958
Odontopera aemula Prout, 1938
Oedicentra gerydaria Swinhoe, 1904
Omphacodes pulcherrimbria (Warren, 1902)
Omphalucha indigna (Prout, 1915)
Ozola occidentalis Prout, 1916
Paracotis bipandata Prout, 1915
Paracotis hyrax Townsend, 1952
Piercia cidariata Guenée, 1858
Piercia prasinaria (Warren, 1901)
Piercia respondens Prout, 1922
Piercia subtrunca Prout, 1932
Pingasa abyssinaria Guenée, 1858
Pingasa respondens (Walker, 1860)
Pingasa ruginaria Guenée, 1857
Prasinocyma albiseriata (Warren, 1906)
Prasinocyma centralis Prout, 1915
Prasinocyma congrua (Walker, 1869)
Prasinocyma edwardsi Fletcher, 1958
Prasinocyma jefferyi Prout, 1930
Prasinocyma nandiensis Prout, 1930
Prasinocyma neglecta Prout, 1921
Prasinocyma niphosporas Prout, 1930
Prasinocyma niveisticta adornata Prout, 1915 = junior synonym of *Prasinocyma niveisticta* (Prout, 1912)
Prasinocyma pictifimbria Warren, 1904
Prasinocyma stictimargo (Warren, 1902)
Prasinocyma tandi Bethune-Baker, 1913
Prasinocyma unipuncta Warren, 1897
Problepsis latonaria Guenée, 1858
Protosteira spectabilis (Warren, 1899)
Psilocera melanops Carcasson, 1965
Psiloclada diaereta Prout, 1923
Rhodophithus myriostictus Prout, 1915
Scopula bigeminata (Warren, 1897)
Scopula caducaria Swinhoe, 1904
Scopula cassaria Swinhoe, 1904
Scopula fimbriolata Warren, 1902
Scopula fuscobrunnea Warren, 1901
Scopula internataria Walker, 1861
Scopula laevipennis Warren, 1897
Scopula minorata (Boisduval, 1833)
Scopula oenoloma Prout, 1932
Scopula silonaria (Guenée, 1858)
Scopula tenera Warren, 1899
Semiothisa affinis (Warren, 1902)
Semiothisa curvilineata (Warren, 1899)
Semiothisa feraliata (Guenée, 1858)
Semiothisa fulvimargo Warren, 1899
Semiothisa nana (Warren, 1898)
Semiothisa ostentaria (Möschler, 1887)
Semiothisa sorocula Warren, 1897
Semiothisa subcretata (Warren, 1905)
Sphingomima cinereomarginata (Holland, 1893)
Tephria crypsispila Fletcher, 1958
Thalassodes dentatilinea Prout, 1912
Thalassodes opaca Warren, 1898
Traminda neptunaria (Guenée, 1858)
Victoria gordoni Prout, 1912
Victoria immunifica Prout, 1912
Xanthistima tarsispina Warren, 1901
Xanthorhoe exorista Prout, 1922 *
Xanthorhoe heliopharia Swinhoe, 1904
Xenimpia chalepa Prout, 1915
Xenimpia erosa Warren, 1895
Xenimpia loile Carcasson, 1964
Xenimpia maculosa (Warren, 1897)
Xyloperyx ancilla Prout, 1926
Zamarada denticincta Hampson, 1910
Zamarada dentigera Warren, 1909
Zamarada enippe Prout, 1921
Zamarada lima Fletcher, 1974
Zamarada longidens Fletcher, 1963
Zamarada melpomene Oberthür, 1912
Zamarada psammis Fletcher, 1958
Zamarada transvisaria Guenée, 1858
Zamarada vigilans Prout, 1915
Zeuctoboarmia translata Prout, 1915

FAMILY Gracillariidae

Phylomorcyx abandai de Prins & Mozuraitis, 2006

FAMILY Hepialidae

Gorgopis auratilis Janse, 1919
Gorgopis crudeni Janse, 1919

FAMILY Hesperidae

Abantis contigua Evans, 1937 *
Acleros mackeni (Trimen, 1868) *
Acleros ploetzi Mabille, 1889 *
Andronymus caesar (Fabricius, 1793) *
Ankola fan (Holland, 1894) *
Borbo micans (Holland, 1896) *
Caenides lissa lima (Evans, 1937)
Celaenorrhinus bettoni Butler, 1902 *
Celaenorrhinus galeus (Fabricius, 1793) *
Celaenorrhinus ovalis Evans, 1937 *
Celaenorrhinus proxima (Mabille, 1877) *
Celaenorrhinus canqua Evans, 1937
Ceratrachia brunnea Bethune-Baker, 1906 *
Ceratrachia flava Hewitson, 1878 *
Coeliades brussexi (Mabille, 1890)
Coeliades forestan (Stoll, 1782) *
Coeliades hamo (Plötz, 1879)
Eagris decastigma Mabille, 1891 *
Eagris lucetta (Hewitson, 1875) *
Eretis umbra (Trimen, 1862)
Eretis vaga Evans, 1937 *
Fresna nyassae plata Evans, 1937
Gamia shelleyi (Sharpe, 1890) *
Gegenes pumilio gambica (Mabille, 1878)
Leona luehderi laura (Evans, 1937)
Metisella aegipan (Trimen, 1868)
Metisella formosus (Butler, 1894)
Metisella malgacha (Boisduval, 1833)
Netrobalane canopus (Trimen, 1864) *
Paracleros placidus (Plötz, 1879)
Pardaleodes bile Holland, 1896 *
Pardaleodes sator (Westwood, 1852) *
Pardaleodes tibullus (Fabricius, 1793) *
Parnara letterstedti (Wallengren, 1857) = junior synonym of *Gegenes mso* (Linnaeus, 1764) *
Platylaschus ayresii (Trimen, 1889)
Sarangesa bovieri (Mabille, 1877) *
Sarangesa haplopa Swinhoe, 1907 *
Spialia diomus (Höpfner, 1855) *
Spialia spio (Linnaeus, 1764) *
Tagiades ophelia Evans, 1937
Xanthodisca vibius (Hewitson, 1878) *
Zophopetes dysmephila (Trimen, 1868) *

FAMILY Lasiocampidae

Anadiasa fuscofasciata Aurivillius, 1922 *
Epicnapteroides lobata Strand, 1912 *

Lechriolepis griseola Aurivillius, 1927 *
Lechriolepis ochraceola Strand, 1912 *
Leipoxais marginepunctata Holland, 1893 *
Leipoxais rufobrunnea Strand, 1912 *
Mimopacha cinerascens (Holland, 1893) *
Mimopacha tripunctata (Aurivillius, 1905) *
Odontocheiloptyerix myxa (Wallengren, 1860)
Odontocheiloptyerix pattersoni Tams, 1926 *
Pachymeta contraria (Walker, 1855) *
Pachypasa fulgurata Aurivillius, 1909
Pseudometa canescens Tams, 1925
Pseudometa choba (Druce, 1899) *
Pseudometa jordani Tams, 1936 = *Opisthodontia jordani* Tams, 1936 *
Pseudometa plinthochroa Tams, 1936
Strebote camerunianum (Aurivillius, 1902)
Strebote fusca (Aurivillius, 1905) = *Stoermeriana fusca* (Aurivillius, 1905) *
Strebote graberi (Dewitz, 1881) = *Stoermeriana graberi* (Dewitz, 1881) *
Strebote splendens (Druce, 1877)
Strebote tessmanni (Strand, 1912) = *Stoermeriana tessmanni* (Strand, 1912) *
Trabala burchardi (Dewitz, 1881)

FAMILY Lecithoceridae

Ptilothyris serangota Meyrick, 1932

FAMILY Limacodidae

Chrysopoloma albidiscalis Hampson, 1910 *
Chrysopoloma theorini (Aurivillius, 1891) *
Chrysopoloma venata Aurivillius, 1895 *
Halseyia fimbriata (Karsch, 1896)
Latoia cineracea (Karsch, 1896)
Latoia viridifascia Holland, 1893
Parasa enchlora Karsch, 1895
Parasa hexamitobalia Tams, 1930 *
Parasa karschi Strand, 1912
Parasa latistriga (Walker, 1855)
Parasa trapezoidea Aurivillius, 1899
Parasa viridissima Holland, 1893
Parasa vivida (Walker, 1865)
Rhypteira sordida Holland, 1893
Sportolepis vemusta Hering, 1928

FAMILY Lycaenidae

Athene alberta (Bethune-Baker, 1910) *
Athene bjoernstadi Collins & Larsen, 1991 *
Athene crawshayi (Butler, 1899) *
Athene definita definita (Butler, 1899) *
Athene larydas (Cramer, 1780) *
Athene ligures (Hewitson, 1874) *

- Anthene liodes* (Hewitson, 1874) *
Anthene lunulata (Trimen, 1894) *
Anthene rubricinctus jeanneli (Stempffer, 1961) *
Anthene schoutedeni (Hulstaert, 1924) *
Anthene (Triclema) hades Bethune-Baker, 1910 *
Aphnaeus pauper Stempffer, 1954
Argyrocheila bitje Bethune-Baker, 1915
Axiocerses amanga (Westwood, 1881) *
Axiocerses harpax ugandana Clench, 1963
Azamus mirza (Plötz, 1880) *
Azamus natalensis (Trimen & Bowker, 1887) *
Cacyreus audeoudi Stempffer, 1936 *
Castalius margaritaceus Sharpe, 1891
Cigaritis banyoana (Bethune-Baker, 1926) = junior synonym of *Cigaritis avriko* (Karsch, 1893) *
Deudorix antalus (Hopffer, 1855) *
Deudorix odana Druce, 1887 *
Eptitola mpangensis Jackson, 1962 = *Cephetola mpangensis* (Jackson, 1962) *
Eptitola nigrovenata Jackson, 1962
Eresina conradi Stempffer, 1956
Eresina masaka Stempffer, 1962 *
Hypolycaena antifanus (Westwood, 1851) *
Hypolycaena hatita Hewitson, 1865 *
Hypolycaena hiara Druce, 1890 *
Iolans gabunica (Riley, 1928) *
Iolans poecilaon (Riley, 1928)
Lachnocnema divergens Gaede, 1915
Lampides boeticus (Linnaeus, 1767) *
Larinopoda soyanaei (Dewitz, 1879) = junior synonym of *Larinopoda tera* (Hewitson, 1873) *
Lepidochryxops dolorosa (Trimen, 1887)
Leptotes marginalis (Aurivillius, 1925)
Leptotes pirihoos insulanus (Aurivillius, 1924)
Leptotes pulchra (Murray, 1874)
Mimacraea krausei Dewitz, 1889
Myrina sharpei Bethune-Baker, 1906 *
Ornipholidotos jacksoni Stempffer, 1961 *
Pentila landbecki Stempffer & Bennett, 1961
Phylaria heritisa intermedia Tite, 1958 = *Uranothauma heritisa intermedia* Tite, 1958 *
Phylaria sp.
Pilodendoxis baginei (Collins & Larsen, 1991) *
Spalgis lemolea Druce, 1890 *
Tetarhanis ilma (Hewitson, 1873)
Uranothauma aminorii felthami (Stevenson, 1934)
Uranothauma falkensteini (Dewitz, 1879) *
Zizula hylax (Fabricius, 1775) *
- Cropera testacea* Walker, 1865 *
Dasychira esthopsis Colletette, 1953
Dasychira mahoma Colletette, 1958
Dasychira omodepseta Colletette, 1939
Euproctis erythrosticka (Hampson, 1910)
Euproctis nessa Swinhoe, 1906 *
Euproctis proxantha (Holland, 1893)
Euproctis reutingeri Holland, 1893
Euproctis utilis Swinhoe, 1903 *
Hemerophanes enos (Druce, 1896)
Homoeomeria haploa Colletette, 1958
Hyaloperina muduscula Aurivillius, 1904 *
Jacksonia striata Colletette, 1937 *
Laelaroa flavimargo Hering, 1926
Laelia fracta Schaus & Clements, 1893 *
Leucoma tiphia Swinhoe, 1903 *
Marbla paradoxa heteropa Colletette, 1953
Mylantria xanthospila (Plötz, 1880) *
Naroma nigrolunata Colletette, 1931 *
Olapa fulviceps Hampson, 1910 *
Olapa tavetensis (Holland, 1892) *
Orgyia hopkinsi Colletette, 1937 *
Paramarbla beni (Bethune-Baker, 1909) *
Paramarbla catharia (Colletette, 1933) *
Paramarbla myctemerina (Rebel, 1914)
Porthesaroa lacipa Hering, 1926 *
Pseudarctia nivea Bethune-Baker, 1911
Rhyopteryx perfragilis Colletette, 1957
Rhyopteryx psolococtiana Colletette, 1961 *
Rhyopteryx rhodalpina (Felder, 1874)
Sphragista kitchingi (Bethune-Baker, 1909) *
Stilpnaroma venosa Hering, 1926
Stracena fuscivena Swinhoe, 1903
Stracena promelaena (Holland, 1893) *
Stracilla fowleri Colletette, 1956
Stracilla ghesquierei Colletette, 1937 *
Tamsita habrotima (Tams, 1930) *
- FAMILY Metarbelidae**
Arbelodes semifasciata (Gaede, 1929)
Lebedodes cossula Holland, 1893
Lebedodes schaeferi Grünberg, 1911
Paralebedella carnescens Hampson, 1910
- FAMILY Noctuidae**
Aburina sobrina Möscher, 1887
Achaea boris (Geyer, 1837)
Achaea faber Holland, 1894
Achaea indicabilis Walker, 1858
Achaea obvia Hampson, 1913
Achaea regularidia (Strand, 1912)
Achaea rothkirchi (Strand, 1914)
Achaea thermopera Hampson, 1913

- Achaea tornistigma* Prout, 1921
Agrotis isopleura Hampson, 1902
Amazoniodes griseofusca (Hampson, 1913)
Amblyopora aeholi (Bethune-Baker, 1906)
Anoba angulilinea (Holland, 1894)
Anomis luperca Möscher, 1883
Anticarsia irrorata (Fabricius, 1781)
Antiophrabia bracteata Felder, 1874
Archephia basilinea (Hampson, 1902)
Athetis atripuncta (Hampson, 1910)
Athetis micra (Hampson, 1902)
Auchenisa schausi Hampson, 1905
Bastilla angularis (Boisduval, 1833)
Bastilla derogans (Walker, 1858)
Borolia tacuna (Felder, 1874)
Brithys pancratii Cyrillo, 1787
Calesia cryptoleuca Carcasson, 1965
Calliphisma flavicornis Hampson, 1913
Calloptistria maillardi (Guenée, 1862)
Callyna constrastans Hampson, 1914
Callyna figurans Walker, 1858
Caryonopera conferta Hampson, 1926
Cautatha phoenicea Hampson, 1910
Cetola radiata Hampson, 1909
Chalciope pusilla (Holland, 1894)
Chrysodeixis acuta (Walker, 1858)
Corgatha crassilineata Gaede, 1916
Corgatha drepanodes Hampson, 1910
Corgatha macariodes Hampson, 1910
Corgatha odontata Fletcher, 1961
Cronica incurvata Gaede, 1939
Ctenoplusia dargei Dufay, 1972
Ctenoplusia euehrhoides (Carcasson, 1965)
Ctenoplusia furcifera (Walker, 1858)
Ctenoplusia limbirena (Guenée, 1852)
Ctenoplusia obtusisigna (Walker, 1858)
Ctenoplusia phoece (Hampson, 1910)
Ctenoplusia polycampa Dufay, 1972
Ctenoplusia vittata (Wallengren, 1856)
Cyclopera galactiplaga (Hampson, 1902)
Cyligramma fluctuosa Drury, 1773
Cyligramma latona (Cramer, 1775)
Cyligramma magus (Guerin-Meneville, 1844)
Deinopa lilacina Hampson, 1926
Deltote cumalinea (Bethune-Baker, 1911)
Deltote decissima (Walker, 1865)
Deltote diascia (Hampson, 1910)
Dichromia euthygramma (Prout, 1921)
Dichromia isosceles Bethune-Baker, 1911
Dichromia mutilata (Strand, 1909)
Earias insulana (Boisduval, 1833)
Egnasia microtype Hampson, 1926
Eligma duplicata Aurivillius, 1892
Elyptron emplecta Fletcher, 1963
Enispa flavipars Hampson, 1916
Enmonodiops ochrodiscata Hampson, 1926
Episparis hieroglyphica Holland, 1894
Ercheia subsignata (Walker, 1865)
Ethiominia albirenalis
Eublemma chlorochroa Hampson, 1910
Eublemma cochylitoides (Guenée, 1852)
Eublemma therna Hampson, 1910
Eublemma titanica Hampson, 1910
Eublemmistis clorozonea Hampson, 1902
Eudocima fullonia (Clerk, 1764) = junior synonym of *Eudocima phalonia* (Linnaeus, 1763)
Eulocastra argyrogramma Hampson, 1914
Eumimucia confusa Hampson, 1913
Eutelia histrio (Saalmüller, 1880)
Eutelia leighi Hampson, 1905
Eutelia malanga Bethune-Baker, 1911
Eutelia poliochroa Hampson, 1912
Euxoetera leucopaga (Hampson, 1907)
Feliniopsis africana (Schaus, 1893)
Feliniopsis breviscula (Walker, 1858)
Feliniopsis milloti (Viette, 1961)
Focillipis eclipsis Hampson, 1926
Gonylana acutangula Hampson, 1910
Gortynodes holophaea Bethune-Baker, 1911
Gracilodes disticha Hampson, 1926
Halochroa aequatoria (Mabille, 1879) *
Helicoverpa armigera (Hübner, 1805)
Heliothisma catocalina (Holland, 1894)
Hypama xylina Distant, 1898
Hypena abyssinalis Guenée, 1854
Hypena chionosticha Fletcher, 1961
Hypena fuscocalis Saalmüller, 1891
Hypena leucosticta Bethune-Baker, 1909
Hypena masurialis Guenée, 1854
Hypena mesomelaena Hampson, 1902
Hypena polycyama Hampson, 1902
Hypena prionodes Fletcher, 1961
Hypena puncticosta Prout, 1925
Hypersynnotodes congoensis Berio, 1954
Hypocala deplorata (Fabricius, 1794)
Hypocala rostrata (Fabricius, 1794)
Hypopyra capensis Herrich-Schäffer, 1854
Lacera alope (Cramer, 1780)
Leucania tinctoria Walker, 1858
Leucania (Acantholeucania) loreyi (Duponchel, 1827)
Lobophylloides minutus Gruenberg, 1907
Lophocrama phoenicochlora Hampson, 1912
Lophoptera litigiosa (Boisduval, 1833)
Lophoriza semiscripta (Mabille, 1893)
Lophotarsia uniformis Berio, 1966
Lycophotia viridis Hampson, 1911
Lygephila (Tathorhynchus) homogyna (Hampson, 1902)
Macella eurittusalis Walker, 1859
Marathyssa cuneata (Saalmüller, 1891)
Marca proclinata Saalmüller, 1891

- Marcipa heterospila* (Hampson, 1910)
Masalia galathaeae (Wallengren, 1856)
Maxera bathyscia Fletcher, 1961
Maxera marchalii (Boisduval, 1834)
Mazuca amoena Jordan, 1933
Mazuca strigicincta Walker, 1866
Mecodina apicata Hampson, 1926
Micragrotis interstriata (Hampson, 1902)
Miniodes phaeosoma Hampson, 1913
Mocis mutuaria (Walker, 1858)
Mocis repanda (Fabricius, 1794)
Mythimna operosa (Saalmüller, 1891)
Mythimna (Morphopoliana) consanguis (Guenée, 1852)
Nagta amplificans (Walker, 1858)
Nodaria melanopa Bethune-Baker, 1911
Nyodes brevicornis (Walker, 1856)
Nyodes chlorobapta (Fletcher, 1961)
Nyodes gazelli Laporte, 1973
Ochropleura senescens (Berio, 1962)
Oligia atrivitta Hampson, 1914
Oligia pachydetis (Fletcher, 1961)
Ophiusa conspicienda (Walker, 1858)
Oraesia emarginata (Fabricius, 1794)
Ozarba abscessa (Walker, 1858)
Ozarba corniculantis Berio, 1950
Ozarba domina (Holland, 1894)
Ozarba flavicilia Hampson, 1914
Ozarba nigroviridis (Hampson, 1902)
Ozarba perplexa Saalmüller, 1891
Ozarba rosescens Hampson, 1910
Ozarba subtilimba Berio, 1963
Parachalctiope agonia Hampson, 1913
Parachalctiope euclidicola (Walker, 1858) *
Parachalctiope monoplaneta Hampson, 1913 *
Paralephana flavilinea Hampson, 1926
Paralephana incurvata Hampson, 1926
Pericyma mendax (Walker, 1858)
Pericyma scandulata (Felder & Rogenhofer, 1874)
Phytometra carnea (Prout, 1922)
Phytometra fragilis (Butler, 1875)
Phytometra haemaceps (Hampson, 1910)
Plecoptera geminilinea Hampson, 1926
Plecoptera hypoxantha Hampson, 1926
Polydesma collusoria Berio, 1954
Polydesma umbricola Boisduval, 1833
Pseudenargia versicolora (Saalmüller, 1891)
Pteronycta smythi Gaede, 1939
Rhanidophora cinctigutta (Walker, 1862) *
Rhanidophora pignurator Hampson, 1926
Rhynchina reniferalis Guenée, 1854
Rivula catadela Fletcher, 1961
Rivula continentalis Gaede, 1939
Soloe trigutta Walker, 1854
Soloella guttivaga (Walker, 1854)
Spodoptera littoralis (Boisduval, 1833)
- Spodoptera triturator* (Walker, 1857)
Tatorinia pallidipennis Hampson, 1926
Thyas metaphaea (Hampson, 1913)
Thysanoplusia chalcadona (Hampson, 1902)
Thysanoplusia clarci (Hampson, 1910)
Thysanoplusia violascens (Hampson, 1913)
Tolna sinifera Hampson, 1913
Tosacantha atmocyma Fletcher, 1961
Trachea euryscia Hampson, 1918
Trichoplusia gorilla (Holland, 1894)
Ulotrichopus hardyei Clifton
Ulotrichopus mesoleuca (Walker, 1858)
Ulotrichopus phaeoleuca Hampson, 1913
Ulotrichopus primulina (Hampson, 1902)
Vieteamia inangulata Gaede, 1935
Xanthomera leucoglene (Mabille, 1880)
Ziela biplaga Fletcher & Viette, 1955

FAMILY Nolidae

- Aiteta gamma* (Hampson, 1905)
Aiteta veluta Hampson, 1912
Blenina diagona Hampson, 1912
Giaura leucotis (Hampson, 1905)
Gigantoceras geometroptera Holland, 1893
Maurilia arcuata (Walker, 1858)
Maurilia bilineata Gaede, 1915
Metaleptina microcyma (Hampson, 1905)
Nola ochrographa Hampson, 1911

FAMILY Notodontidae

- Achaera ochribasis* (Hampson, 1910)
Afrocerura bifasciata Janse, 1920
Afropteryx angulata (Gaede, 1928)
Andocidia tabernaria Kiriakoff, 1958
Antheua ornata (Walker, 1865)
Antheua simplex Walker, 1855 *
Atrasona postica Walker, 1856
Bernardita albiplagiata (Gaede, 1928) *
Desmoeocraera confluens Gaede, 1928
Elaphrodes duplex (Gaede, 1928)
Epimetula albipuncta (Gaede, 1928)
Epitrotomotus vilis (Holland, 1893) *
Eurystaura erecta Gaede, 1928
Eurystaura griseitincta (Hampson, 1910)
Eurystauridia triangularis (Gaede, 1928) *
Leptolepida malangae Bethune-Baker, 1911
Peratodonta olivacea Gaede, 1928
Phalera nigristriga (Joannis, 1913)
Phitlura argyraspis Holland, 1893 *
Scalimicauda brevipennis (Holland, 1893)
Scalimicauda obscurior Gaede, 1928
Scalimicauda tessmanni (Strand, 1911) *
Sidisca sidisca Kiriakoff, 1958

Stenopossa viridipennis Strand, 1912
Stemmatophalera semiflava (Hampson, 1910)
Stenostaura agrotoides (Holland, 1893)
Zanana bitia (Stoll, 1780)

FAMILY Nymphalidae

Amauris albimaculata interposita Talbot, 1940
Amauris echeria contracta Talbot, 1940
Amauris hecate hecate (Butler, 1886) *
Amauris niavius niavius (Linnaeus, 1758) *
Amauris tartarea Mabille, 1876 *
Bicyclus buea (Strand, 1912) *
Bicyclus campus (Karsch, 1893) *
Bicyclus dentata (Sharpe, 1898) *
Bicyclus dorothea (Cramer, 1779)
Bicyclus golo (Aurivillius, 1893) *
Bicyclus istaris (Plötz, 1880) *
Bicyclus mandames (Hewitson, 1873) *
Bicyclus mesogena mesogena Grünberg, 1912
Bicyclus smithi (Aurivillius, 1928) *
Bicyclus sophrosyne (Plötz, 1880) *
Bicyclus sp.
Charaxes bipunctatus ugandensis van Someren, 1972
Charaxes brutus (Cramer, 1779) *
Charaxes candiape (Godart, 1824) *
Charaxes cynthia propinqua van Someren, 1969 = junior synonym of *Charaxes cynthia kinduana* I.e. Cerf, 1923
Charaxes etesipe etesipe (Godart, 1824) *
Charaxes ethocles (Cramer, 1777) *
Charaxes eudoxus (Drury, 1782)
Charaxes fulvexens (Aurivillius, 1891) *
Charaxes numenes aequatorialis van Someren, 1972
Charaxes pollux pollux (Cramer, 1775) *
Charaxes smaragdalis elgonae van Someren, 1964
Charaxes tiridates tiridatus Röber, 1936
Danau chrystippus (Linnaeus, 1758) *
Gnophodes betsimena parmeno Doubleday, 1849
Gnophodes cheyls (Fabricius, 1793) *
Gnophodes iris Bartel, 1905
Lachnoptera ayresii Trimen, 1879
Libythea laldada Westwood, 1851 *
Precis rauana kakamega Carcasson, 1961 = junior synonym of *Precis rauana rauana* (Grose-Smith, 1898) *
Precis rauana rauana (Grose-Smith, 1898) *
Pseudathyma neptidima Karsch, 1894
Trumala formosa mercedana (Karsch, 1894)
Trumala petiverana (Doubleday, 1847) *
Ypthima granulosa Butler, 1883 *

FAMILY Papilionidae

Graphium angolans (Goeze, 1779) *
Graphium leonidas (Fabricius, 1793)
Graphium policeses (Cramer, 1775) *

Papilio chrapkowskoides Storage, 1952 *
Papilio darkanus Brown, 1776 *
Papilio desmondi van Someren, 1939
Papilio interjectana Vane-Cvenc, 1995 *
Papilio lormieri Distant, 1874 *
Papilio microps Storage, 1951
Papilio nireus Linnaeus, 1758 *
Papilio nobilis Rogenhofer, 1891
Papilio phorcas Cramer, 1775 *
Papilio zoroastres Druce, 1878

FAMILY Pieridae

Colias electo (Linnaeus, 1763) *
Ewema desjardinsi (Boisduval, 1833) *
Ewema hecabe (Linnaeus, 1758) *
Mylothris rubricosta (Mabille, 1890) *
Mylothris schumannii Suffert, 1904 *
Nepheronia argia (Fabricius, 1775) *
Nepheronia buquetii (Boisduval, 1836)

FAMILY Pterophoridae

Exelastis crepuscularis (Meyrick, 1909)
Pterophorus candidalis (Walker, 1864)
Stenoptilia longalis (Walker, 1864)

FAMILY Pyralidae

Calomacalla megistalis (Hampson, 1906)
Ematheudes michaelshafferi Shaffer, 1997
Herculia lacteocilia Hampson, 1917
Herculia rosettinata (Hampson, 1917)
Herpetobots keryensis Maes, 2001
Lamoria capella (Ragonot, 1888)
Meca australis Karsch, 1900
Mussidia nigrivenella Ragonot, 1888
Navasota leuconurella Hampson, 1918
Pempelia morasalis (Saalmüller, 1879-80)
Salma ignezonalis (Hampson, 1906)
Stemmatophora flammans Bethune-Baker, 1909
Tegulifera bostralis Hampson, 1917
Tegulifera oblutana (Warren, 1897)
Tegulifera semicircularis Hampson, 1917

FAMILY Riodinidae

Abisara neavei Riley, 1932 *

FAMILY Saturniidae

Aurivillius seydeli Rougeot, 1962 *
Aurivillius tiramus Rothschild, 1907
Cinabra hyperbius (Westwood, 1881) *
Epiphora rectifascia (Rothschild, 1907)

Epiphora vacuna (Westwood, 1849)
Goodia hierax Jordan, 1922
Imbrasia ertli Rebel, 1904 *
Imbrasia obscura (Butler, 1878)
Imbrasia (Nudaurelia) anthina (Karsch, 1892)
Imbrasia (Nudaurelia) dione (Fabricius, 1793) *
Imbrasia (Nudaurelia) rhodophila (Walker, 1869)
Lobobunaea acetes (Westwood, 1849) *
Ludia pupillata Strand, 1912 *
Pselaphelia gemmifera Butler, 1878
Pseudobunaea cleopatra (Aurivillius, 1893)
Pseudobunaea epithyrena (Maassen in Maassen & Weyding, 1885) *
Pseudobunaea tyrrhena (Westwood, 1849)
Tagoropsis rougeoti Fletcher, 1968 *

FAMILY Sesiidae

Melittia endoxantha Hampson, 1919
Mimocrypta hamptoni (Butler, 1902) *

FAMILY Sphingidae

Andriasa contraria Walker, 1856 *
Antinephele anomala (Butler, 1882) *
Antinephele marcida Holland, 1893 *
Centroctena rutherfordi (Druce, 1882) *
Coelonia fulvnotata (Butler, 1875) *
Dovamia poecila Rothschild & Jordan, 1903 *
Euchloron megaera (Linnaeus, 1758) *
Hippotion aporodes Rothschild & Jordan, 1912 *
Hippotion eson (Cramer, 1779) *
Hippotion irregularis (Walker, 1856) *
Lophostethus dumolinii (Angas, 1849) *
Macropoliiana oheffermani (Gess, 1967)
Neopolytychus serrator (Jordan, 1929) *
Nephele aequivalens (Walker, 1856) *
Nephele argentifera (Walker, 1856)
Nephele vau (Walker, 1856)
Platysphinx constrictus (Walker, 1869) *
Poliana buchholzi (Plotz 1880) *
Polyptychoides digitatus (Karsch, 1891) *
Temnora albilinea Rothschild, 1904 *
Temnora cremulata (Holland, 1893) *
Temnora eranga (Holland, 1889) *
Temnora scheveni Carcasson, 1968
Temnora spiritus (Holland, 1893) *
Temnora stevensi Rothschild & Jordan, 1903
Temnora zantus (Herrich-Schäffer, 1854)

FAMILY Tineidae

Trisophista doctissima Meyrick, 1923

FAMILY Uramiidae

Micromia albidiorata Mabille, 1893

FAMILY Zygaenidae

Arniocera poecila Jordan, 1907

ORDER Diptera

FAMILY Agromyzidae

Melanagromyza chalcosoma Spencer, 1959
Phytomyza sp.

FAMILY Asilidae

Laxenecera albicincta (Loew, 1852)
Leptogaster tenuis Loew, 1858
Ommatius canicoxa Speiser, 1913
Promachus fascianus (Fabricius, 1775)

FAMILY Bombyliidae

Anthrax nigerrimus Bezzi, 1924
Anthrax pithecius Fabricius, 1805
Bombylius plorans Bezzi, 1920

FAMILY Calliphoridae

Musca chloropyga Wiedemann, 1818

FAMILY Culicidae

Aedes africanus (Theobald, 1901)

FAMILY Diopsidae

Chaetodopsis meigenii (Westwood, 1837)
Diopsis apicalis Dalman, 1817

FAMILY Dolichopodidae

Chrysosoma mesotrichum (Bezzi, 1908)
Hercostomus ultimus Parent, 1935
Rhaphium zairensis Negrobov, Grichanov, Bakari, 1982

FAMILY Lauxaniidae

Calliopium OR *Lauxania* sp.

FAMILY Micropezidae

Mimegralla sp.

FAMILY Muscidae

Neomyia madissima (Loew, 1852)
Phyllina ruficauda Malloch, 1923

FAMILY Platystomatidae

Peltacanthina similima Hendel, 1914
Plagiostenoptera westermanni Hendel, 1914

FAMILY Psilidae

Chyliza sp. Fallen, 1820

FAMILY Rhiniidae

Isomyia distinguenda (Villeneuve, 1917)

FAMILY Sciaridae

Apelmocreagriss thoracica (Macquart, 1838)

FAMILY Stratiomyidae

Platyna hastata (Fabricius, 1805)
Plecticus elongatus (Fabricius, 1787)

FAMILY Syrphidae

Allograpta calopoides (Curran, 1938)
Allograpta calopus (Loew, 1858)
Allograpta nasuta (Macquart, 1842)
Allograpta varipes (Curran, 1927)
Asarkina albifacies Bezzi, 1915
Betasyrphus adligatus (Wiedemann, 1824)
Betasyrphus inflaticornis (Bezzi, 1915)
Betasyrphus saundersi (Goot, 1964)
Episyrphus trisectus (Loew, 1858)
Eristalinus quinquelineatus (Fabricius, 1781)
Eumerus maculipennis Bezzi, 1915
Graptonyza nigra Bezzi, 1915
Ischnodon aegyptius (Wiedemann, 1830)
Lathrophthalmus euzonus var. *andersoni* Bezzi, 1915
Mallota aperta (Bezzi, 1912)
Melanostoma amulipes (Macquart, 1842)
Melanostoma gymnocera Bigot, 1891
Melanostoma infuscatum Becker, 1909
Melanostoma scalare (Fabricius, 1794)
Mesembrius cyanipennis (Bezzi, 1915)
Mesembrius senegalensis (Macquart, 1842)
Mesembrius tarsalis (Bigot, 1883)
Microdon erythrocephalus Bezzi, 1915
Microdon luteiventris Bezzi, 1915
Paragus borbonicus Macquart, 1842
Paragus longiventris Loew, 1858

Paragus minutus Hull, 1938
Paragus stuckenbergi Meyer, 1998
Phytomyia bulligera (Austen, 1909)
Phytomyia incisa (Wiedemann, 1830)
Phytomyia natalensis (Macquart, 1850)
Rhingia cyanoprorra Speiser, 1910
Rhingia mecyana Speiser, 1910
Simoides villipes (Loew, 1858)
Syritta nigrifemorata Macquart, 1842
Syrphus ericetorum Fabricius, 1781

FAMILY Tabanidae

Chrysops funebris Austen, 1907
Haematopota distincta Ricardo, 1906
Tabanus fraternus Macquart, 1824
Thaumastocera boneti Seguy, 1946

FAMILY Tachinidae

Dejeania hecate Karsch, 1886
Mintho argentea Bezzi, 1908
Ornithophila metallica (Schiner, 1864)
Winthemia dasyops (Wiedemann, 1824)

FAMILY Tephritidae

Afraciura zernyi Hering, 1941
Bezzina margaritifera (Bezzi, 1908) *
Brachyaciura limbata (Bezzi, 1924)
Brachyaciura sp. Bezzi, 1924
Capitites aurea (Bezzi, 1924) (*)
Carpophthoromyia dimidiata Bezzi, 1924 *
Ceratitidis anonae Graham, 1908 *
Ceratitidis caetrata Munro, 1949 *
Ceratitidis capitata (Wiedemann, 1824) *
Ceratitidis cristata (Bezzi, 1920) *
Ceratitidis dissimilis (Munro, 1938) *
Ceratitidis flexuosa (Walker, 1853) *
Ceratitidis hamata Meyer, 1996 *
Ceratitidis podocarpi (Bezzi, 1924)
Ceratitidis rubivora Coquillett, 1901 *
Ceratitidis stictica Bezzi, 1909 *
Ceratitidis venusta (Munro, 1956) *
Clematochaeta cf. *perpallida* (Bezzi, 1918)
Craspedoxantha veronae Freidberg, 1985 *
Craspedoxantha yaroni Freidberg, 1985 *
Dacus armatus Fabricius, 1805 *
Dacus bivittatus (Bigot, 1858) *
Dacus momordicae (Bezzi, 1915)
Dacus punctatifrons Karsch, 1887 *
Dacus telfaireae (Bezzi, 1924) *
Dacus triater Munro, 1937
Dectodesis confluens (Wiedemann, 1830)
Dichonotus katonae (Bezzi, 1924) *

Dioxyna sororcula (Wiedemann, 1830) *
Gymnaciura austeni (Munro, 1935) *
Paraspheniscoides binarius (Loew, 1861) *
Pterandrus rosa var. *fasciventris* Bezzi, 1920
Pterandrus volucris Bezzi, 1918
Ptosanthus helvus (Loew, 1861)
Scedella caffra (Loew, 1861) *
Scedella glebosa Munro, 1957 *
Scedella incurva Munro, 1957 *
Scedella praetexta (Loew, 1861) *
Stammophora vernoniicola (Bezzi, 1918) *
Taomyia marshalli Bezzi, 1920 *
Telaetes ochraceus (Loew, 1861)
Tephraactura sphenoptera (Bezzi, 1924) *
Terellia taeniaptera Bezzi, 1923 *
Tridacus eburneus Bezzi, 1915
Trirhithrum albomaculatum (Roder, 1885) *
Trirhithrum coffeae Bezzi, 1918 *
Trirhithrum demeyeri White & Hancock, 2003 *
Trirhithrum meladiscum Munro, 1938 *

ORDER Hymenoptera

FAMILY Apidae

Apis mellifera Linnaeus, 1758 *
Xylocopa caffra (Linnaeus, 1767)
Xylocopa flavovirgata (DeGeer, 1778) *
Xylocopa lepeletieri Enderlein, 1903
Xylocopa nigrita (Fabricius, 1775) *
Xylocopa senex Friese, 1909
Xylocopa torrida (Westwood, 1838) *

FAMILY Braconidae

Archibracon dimaensis (Cameron, 1912)

FAMILY Eumenidae

Eumenes melanonomus de Saussure, 1852
Odynerus carinulatus de Saussure, 1856

FAMILY Formicidae

Camponotus maculatus (Fabricius, 1782) *
Crematogaster transiensis Forel, 1913
Dorylus fulvus (Westwood, 1839) *
Dorylus helvohus (Linnaeus, 1764) *
Meranoplus inermis Emery, 1895 *
Pachycondyla ilgii (Forel, 1894)

FAMILY Megachilidae

Chalicodoma felina (Gerstaecker, 1857) *
Megachile (Creightonella) ianthoptera Smith, 1853

FAMILY Sphecidae

Cerceris erythrosoma Schletterer, 1887
Cerceris iniqua Kohl, 1894
Philanthus fuscipennis Guérin-Méneville, 1844
Philanthus histrio Fabricius, 1804

FAMILY Vespidae

Belanogaster dubius Kohl, 1894
Belanogaster junceus Fabricius, 1781
Polistes marginalis (Fabricius, 1775)
Polistes sp.
Polistes tenellus Buysson, 1905
Polistes tepidus (Fabricius, 1775)

PHYLUM Mollusca

CLASS Gastropoda

ORDER Stylommatophora

FAMILY Enidae

Edouardia sp.

FAMILY Helicarionidae

Helicarion sp.

FAMILY Streptaxidae

Gulella impedita Connolly, 1922
Gulella sp.
Gulella woodhousei Preston, 1913

FAMILY Subulinidae

Pseudopeas kekumeganam Connolly, 1923
Pseudopeas yalaensis Germain, 1923

FAMILY Urocyclidae

Gymnarrion atoyisabandiae (Pollonera, 1906)
Thapsia cinnamomeozonata Pilsbry, 1919
Thapsia eucosmia Pilsbry, 1919
Thapsia microleuca Verdcourt, 1982
Thapsia sp.

Budongo ForestPHYLUM **Chordata**CLASS **Mammalia**ORDER **Rodentia**FAMILY **Muridae***Mastomys coucha* (Smith, 1834)FAMILY **Sciuridae***Paraxerus alexandri* (Thomas & Wroughton, 1907)CLASS **Aves**ORDER **Columbiformes**FAMILY **Columbidae***Streptopelia semitorquata* (Rüppell, 1837)ORDER **Coraciiformes**FAMILY **Alcedinidae***Halcyon chelicuti* (Stanley, 1814)ORDER **Cuculiformes**FAMILY **Cuculidae***Cercococcyx mechowi* Cabanis, 1882*Clamator levaillantii* (Swainson, 1829)ORDER **Galliformes**FAMILY **Numididae***Guttera pucherani* (Hartlaub, 1861)FAMILY **Phasianidae***Francolinus icterorhynchus* Heuglin, 1863ORDER **Musophagiformes**FAMILY **Musophagidae***Corythaecola cristata* (Vieillot, 1816)ORDER **Piciformes**FAMILY **Picidae***Mesopicos xantholophus* Hargitt, 1883FAMILY **Ramphastidae***Pogoniulus scolopaceus* (Bonaparte, 1850)ORDER **Trogoniformes**FAMILY **Trogonidae***Apaloderma narina* (Stephens, 1815)CLASS **Reptilia**ORDER **Squamata**FAMILY **Colubridae***Dipsadoboa unicolor* Günther, 1858FAMILY **Scincidae***Lygosoma fernandi* (Burton, 1836)CLASS **Amphibia**ORDER **Anura**FAMILY **Arthroleptidae***Arthroleptis stenodactylus* Pfeiffer, 1893FAMILY **Hyperoliidae***Afraxalus fulvovittatus* (Cope, 1861)*Afraxalus osorioi* (Ferreira, 1906)*Hyperolius cinnamomeoventris* Bocage, 1866*Hyperolius fusciventris* Peters, 1876*Hyperolius nasutus* Günther, 1865FAMILY **Phrynobatrachidae***Phrynobatrachus plicatus* (Günther, 1858)

PHYLUM Arthropoda**CLASS Insecta****ORDER Odonata****FAMILY Aeshnidae**

Anax ephippiger (Burmeister, 1836)
Gynacantha bullata Karsch, 1891

FAMILY Calopterygidae

Umma saphirina Förster, 1916

FAMILY Chlorocyphidae

Chlorocypha trifaria Fraser, 1950
Platycypha lacustris (Förster, 1914)

FAMILY Coenagrionidae

Pseudagrion hageni Karsch, 1893

FAMILY Corduliidae

Phyllomacromia aureozona (Pinhey, 1966)
Phyllomacromia picta (Hagen in Selys, 1871)

FAMILY Libellulidae

Hadrothemis coacta (Karsch, 1891)
Micromacromia camerunica Karsch, 1890
Notiothemis robertsi Fraser, 1944
Orithetrum stemmale (Burmeister, 1839)
Tetrathemis polleni (Selys, 1869)
Trithemis nuptialis Karsch, 1894

ORDER Heteroptera**FAMILY Miridae**

Proboscoidocoris fuliginosus Reuter, 1882
Proboscoidocoris proprius Odhiambo, 1960

FAMILY Pentatomidae

Aspongopus xanthopterus Fairmaire, 1858
Ceratitis horni Schouteden
Hotea subfasciata (Westwood, 1837)
Piezosternum fallax Breddin, 1898
Plataspis horvathi (Haglund, 1894)
Sepontia miscella (Stål, 1854)

FAMILY Reduviidae

Rhinocoris albopunctatus (Stål, 1855)
Rhinocoris tristis (Stål, 1855)

ORDER Coleoptera**FAMILY Anobiidae**

Mesocoelopus near babaulti (Pic)

FAMILY Anthicidae

Anthelephila kumbaensis (van Hille, 1978)

FAMILY Anthribidae

Deuteroerates longicollis Kolbe, 1894

FAMILY Bostrichidae

Apate subcalva Lesne, 1923

FAMILY Brentidae

Cerobates sulcirostris Thomson, 1858
Diphlophozes armatus Kleine, 1916

FAMILY Cerambycidae

Acrocera olympiana Thomson, 1858
Antennoeme quadriplagiata Hintz, 1911
Ceraphorus hirticornis Audinet-Serville, 1834
Cloniophorus sp.
Coptoeme nigrotibialis Aurivillius, 1927
Coptops aedificator (Fabricius, 1792)
Cordylomera spincornis (Fabricius, 1775)
Cordylomera annulicornis Fairmaire, 1892
Eudianodes swazeyi Pascoe, 1868
Hypoeschrus ocapimensis Lepesme & Breuning 1955
Macrotoma budongoensis Gilmour, 1957 = junior synonym of *Anomotoma lesnei* (Lameere, 1903)
Monochamus x-fulvum Bates, 1884
Obereopsis variipes unicoloripennis Breuning, 1950
Oeax triangulatus (White, 1858)
Paroeme similis Jordan, 1903
Neoplocaderus nitidipennis (Chevrolat, 1858)
Pseudhammus myrmidonum Kolbe, 1894
Sophonica hirsuta (Pascoe, 1864)
Derolus gyllenhalii (Fähræus, 1872)
Xystrocera lujæ Hintz, 1911
Xystrocera nigrita Audinet-Serville, 1834

FAMILY Chrysomelidae

Asbecesta unicolorata (Jacoby, 1895)
Belona sagonai Laboissière, 1921
Bonesioides laevicollis (Laboissière, 1940)
Epithrix pubipennis Bryant, 1930
Jamesonia rosae (Bryant)
Monolepta vineta Gerstaecker, 1871

FAMILY Coccinellidae

Cheilomenes sulphurea (Olivier, 1791)
Henosepilachna bisseptemnotata (Mulsant, 1853)
Henosepilachna fulvosignata (Reiche, 1847)
Solanophila gibbosa (Crotch, 1874)
Henosepilachna hirta (Thunberg, 1781)
Epilachna multinota Gerstaecker
Henosepilachna reticulata (Olivier, 1791)
Chilomenes mesomelas Fürsch

FAMILY Curculionidae

Periomatus excisus Strohmeyer

FAMILY Elateridae

Alaus excavatus (Fabricius, 1801)
Olophoeus protensus Gerstaecker, 1884

FAMILY Hydrophilidae

Coelostoma subspaeoroides Régimbar, 1907

FAMILY Lagriidae

Lagria coriacea Borchmann, 1908
Lagria pilosivestis (Kolbe, 1901)
Lagria purpurascens (Borchmann, 1916)
Lagria villosa Fabricius, 1781

FAMILY Languriidae

Anadastus natalensis (Gorham)

FAMILY Lucanidae

Figulus sublaevis (Beauvois, 1805)
Nigidius grandis Hope, 1841

FAMILY Meloidae

Cylindrothorax westermanni (Mäklin, 1875)

FAMILY Melyridae

Hapalochrus densatus (Bourg, 1908)
Hapalochrus longicornis (Champion, 1920)
Heterolaius purpuripennis Kraatz, 1895

FAMILY Platypodidae

Doliopygus conradi (Strohmeyer)
Doliopygus erichsoni (Chapuis, 1866)
Doliopygus fulgens Schedl, 1951
Doliopygus minor Schedl, 1952
Doliopygus minutissimus Wood & Bright, 1992
Doliopygus semipilosus Schedl, 1972
Platypus schenklingi (Strohmeyer, 1912)
Platypus spinulosus Wood & Bright, 1992

FAMILY Scarabaeidae

Alleucosma viridula (Kraatz, 1880)
Dicranorrhina micans (Drury, 1773)
Dynastes centaurus (Fabricius, 1775)
Gnathocera angolensis Westwood, 1854
Neptunides stanleyi Janson, 1889
Trochilus fraterculus Kolbe, 1913

FAMILY Scolytidae

Strombophorus celtis Schedl, 1955
Xyleborus perforans (Wollaston, 1857)

FAMILY Staphylinidae

Eleusis picta Eppelsheim, 1895
Eleusis vermicollis Bernhauer, 1929
Holosis singularis congoensis Cameron, 1926
Leptacinus schoutedeni Cameron
Paederus duplex Eppelsheim, 1895

FAMILY Tenebrionidae

Strongylium marginipenne Quedenfeldt, 1885

ORDER Lepidoptera**FAMILY Anomoetidae**

Staphylinochrous melanoleuca Hampson, 1910

FAMILY Arctiidae

Acantharctia nigrivena Rothschild, 1935
Aganats speciosa Drury, 1773
Alperus maculosa (Stoll, 1781)
Alperus pardalina (Rothschild, 1910)

Amerila brunnea (Hampson, 1901)
Amerila luteibarba (Hampson, 1901)
Amphicalitia pactolicus (Butler, 1888)
Balacra herona Druce, 1887
Balacra preussi Aurivillius, 1904
Caryatis phileta (Drury, 1782)
Chrysotypus dawsoni Distant, 1897
Creatonotus neurophaea Hampson, 1911
Elsa postrosea Kiriakoff
Marmax semiaurata (Walker, 1854)
Meganactia sippia (Plötz, 1880)
Metarctia perpusilla (Walker, 1856)
Micralarctia punctulata (Wallengren, 1860)
Nemea nivosa Whalley, 1971
Neuroxena sulphureovitta (Strand, 1909)
Nyctemera apicalis Walker, 1854
Nyctemera leuconoe Hopffer, 1858
Nyctemera perspicua Walker, 1854
Nyctemera ugandicola (Strand, 1909)
Paramella lophura Aurivillius, 1905
Spilosoma bifurca (Walker, 1855)
Spilosoma curvilinea Walker, 1855
Thyreites caffra Wallengren, 1863

FAMILY **Brahmaeidae**

Dactylocera lucina Drury, 1782

FAMILY **Cossidae**

Azygophleps boisduvalii (Herrich-Schäffer, 1855)
Callossus ranana Strand, 1909
Oreocossus occidentalis Strand, 1913
Xyletus biatra (Hampson, 1910)
Xyletus crassa (Drury, 1780)

FAMILY **Crambidae**

Cadarena sinuata Fabricius, 1781
Cryptographis eleanis Walker, 1859
Palpa bonjongalis Ploetz, 1880
Parotis baldersalis Walker, 1859
Syllepte butleri (Dewitz, 1881)
Syllepte semilugens (Hampson, 1912)
Zebromia phenice Cramer, 1780

FAMILY **Ctenuchidae**

Amata monothyris Hampson, 1914
Amata tripunctata Bethune-Baker, 1911

FAMILY **Drepanidae**

Epicampoptera malantica (Tams, 1925)
Gonoreta forcipulata Watson, 1965

FAMILY **Eupterotidae**

Phiala flavina Gaede, 1927
Phiala nigrolineata Aurivillius, 1903

FAMILY **Geometridae**

Acrostatheus atomaria Warren, 1901
Antiracotis zebрина Warren, 1899
Antrigyodes callibotrys Prout, 1918
Apatadelpa biocellaria Walker, 1863
Boarmia intrusilinea Prout, 1915
Buzura subocularia Mabille, 1893
Celidomphax rubrimaculata Warren, 1905
Chorodnodes rothi Warren, 1897
Chrysocraspeda holobapta Prout, 1917
Chrysocraspeda leighata Warren, 1904
Cleora dactylata Fletcher, 1967
Cleora echinodes Fletcher, 1967
Cleora epiclitra Fletcher, 1967
Cleora eumelana Fletcher, 1967
Cleora radula Fletcher, 1967
Cleora subcincta Warren, 1901
Colocleora ansorgei (Warren, 1901)
Deilinia limbata Warren
Dysnymphus sicularia Plötz, 1880
Epigynopteryx commixta Warren, 1901
Erastria albosignata (Walker, 1862)
Gongropteryx fasciata Holland, 1893
Melinoessa croesaria Herrich-Schäffer, 1855
Melinoessa midas Prout, 1922
Nartheucusa perplexata Walker, 1862
Oedicentra gerydaria Swinhoe, 1904
Omphalucha nubimedia Prout, 1938
Psilocerea immitata Jansé, 1932
Psilocerea pulverosa Warren, 1894
Rhodophthitus myriostictus Prout, 1915
Scopula natalica Butler, 1875
Semiothisa affinis (Warren, 1902)
Somatina figurata Warren, 1897
Somatina vestalis (Butler, 1875)
Sphingomima cinereomarginata (Holland, 1893)
Vaena eacleoides Walker, 1869
Xenimpia maculosata (Warren, 1897)
Zamarada dentigera Warren, 1909
Zamarada differens Bastelberger, 1907
Zamarada enippe Prout, 1921
Zamarada pelobasis Fletcher, 1974
Zamarada terpsichore Oberthür, 1912
Zamarada thalia Oberthür, 1912
Zamarada vigilans Prout, 1915

FAMILY **Hesperiidae**

Acada biseriata (Mabille, 1893)
Acleros ploetzi Mabille, 1889
Acleros sparsum Druce, 1909
Andronymus caesar (Fabricius, 1793)
Andronymus neander (Plötz, 1884)
Ankola fan (Holland, 1894)
Baoris caffraria (Plötz, 1883)
Borbo gemella (Mabille, 1884)
Borbo micans (Holland, 1896)
Borbo perobscura (Druce, 1912)
Borbo sirena (Evans, 1937)
Caenides leonora leonora (Plötz, 1879)
Caenides lissa lima (Evans, 1937)
Callegrist lacteus (Mabille, 1877)
Celaenorrhinus bettoni Butler, 1902
Celaenorrhinus galeus (Fabricius, 1793)
Celaenorrhinus proxima (Mabille, 1877)
Ceratrachia flava Hewitson, 1878
Ceratrachia hollandi Bethune-Baker, 1908
Ceratrachia mabirensis Riley, 1925
Coeliades brussauxi (Mabille, 1890)
Coeliades chalybe (Westwood, 1852)
Coeliades hanno (Plötz, 1879)
Eagris decastigma Mabille, 1891
Eagris luceta (Hewitson, 1875)
Eagris tigris Evans, 1937
Eretis buamba Evans, 1937
Eretis lugens (Rogenhofer, 1891)
Eretis vaga Evans, 1937
Fresna netapha (Hewitson, 1878)
Gegenes hottentota hottentota (Latreille, 1824)
Gegenes letterstedti Wallengren, 1857 = junior synonym of *Gegenes niso* (Linnaeus, 1764)
Gegenes pumilio (Hoffmannsegg, 1804)
Gorgyra moquerysii Holland, 1896
Hypoleucis ophiusa (Hewitson, 1866)
Hypoleucis tripunctata Mabille, 1891
Metisella meninx (Trimen, 1873)
Meza cybeutes (Holland, 1894)
Meza indusiata (Mabille, 1891)
Monza cretacea (Snellen, 1872)
Netrobalane canopus (Trimen, 1864)
Osmodes adon (Mabille, 1889)
Osmodes laronia (Hewitson, 1868)
Osmodes minchini Evans, 1937
Osmodes thora (Plötz, 1884)
Paracleros placidus (Plötz, 1879)
Pardaleodes bile Holland, 1896
Pardaleodes incerta (Snellen, 1872)
Pardaleodes sator (Westwood, 1852)
Pardaleodes tibullus (Fabricius, 1793)

Parnara monasi (Trimen, 1889)
Parnara naso monasi (Trimen, 1889)
Pelopidas mathias (Fabricius, 1798)
Platylesches chamaeleon (Mabille, 1891)
Sarangesa bowvieri (Mabille, 1877)
Sarangesa haplopa Swinhoe, 1907
Spialia rebeli (Higgins, 1925)
Spialia spio (Linnaeus, 1764)
Temiorhinus ignita (Mabille, 1877)
Temiorhinus watsoni Holland, 1892
Zophopetes cerymica nobilior (Holland, 1896)
Zophopetes dysmephila (Trimen, 1868)

FAMILY **Lasiocampidae**

Gastropylakaeis greyi Holland, 1893
Lechroilepis pulchra Aurivillius, 1905
Leipoxais rufobrunnea Strand, 1912
Opisthodontia dentata Aurivillius, 1899
Pachymeta contraria (Walker, 1855)
Pachypasa pulchriatrum (Bethune-Baker, 1911)
Stenophatna liberia Aurivillius, 1914
Strebilote aculeata (Walker, 1865)
Strebilote butii (Bethune-Baker, 1911)
Taragama vesta (Druce, 1887)
Trabala burchardi (Dewitz, 1881)

FAMILY **Limacodidae**

Anilina plebeia (Karsch, 1899)
Chrysopoloma albidiscalis Hampson, 1910
Chrysopoloma theorini (Aurivillius, 1891)
Chrysopoloma venata Aurivillius, 1895
Delorhachis nigrivenosa Karsch, 1896
Delorhachis viridiplaga Karsch, 1896
Parasa karschi Strand, 1912
Phlebotricha afflata Karsch, 1896
Rhyteira hyperocha Tams, 1930

FAMILY **Lycenidae**

Anthene afra (Bethune-Baker, 1910)
Anthene alberta (Bethune-Baker, 1910)
Anthene ituria (Bethune-Baker, 1910)
Anthene kampala (Bethune-Baker, 1910)
Anthene kerstemi (Gestaecker, 1871)
Anthene larydas Cramer, 1782
Anthene levis (Hewitson, 1878)
Anthene ligures (Hewitson, 1874)
Anthene liodes (Hewitson, 1874)
Anthene lunulata (Trimen, 1894)
Anthene rubricinctus jeanneli Stempffer, 1961
Anthene schoutedeni (Hulstaert, 1924)

- Anthene (Neurellipes) chryseostictus* (Bethune-Baker, 1910)
Anthene (Neurellipes) staudingeri (Grose-Smith & Kirby, 1894)
Anthene (Neurypexina) quadricaudata (Bethune-Baker, 1926)
Anthene (Triclema) hades (Bethune-Baker, 1910)
Argyrocheila bitje Bethune-Baker, 1915
Athysonota ornata (Mabille, 1890)
Axiocerses harpax ugandana Clench, 1963
Azanus isis (Drury, 1773)
Azanus mirza (Plötz, 1880)
Cacyrenus andeoudi Stempffer, 1936
Castalius margaritaceus Sharpe, 1891
Chlades trochylus (Freyer, 1845)
Citrinophila erastus (Hewitson, 1866)
Cupidesthes areoscopa orientalis (Stempffer, 1962)
Deudorix odana Druce, 1887
Epitola catuna Kirby, 1890
Epitola cercene Hewitson, 1873
Epitola cercenoides Holland, 1890
Epitola conjuncta Grose-Smith & Kirby, 1893
Epitola convexa Roche, 1954
Epitola gerina Hewitson, 1878
Epitola gordoni Druce, 1903
Epitola mpangensis Jackson, 1962
Eresina bergeri Stempffer, 1956
Eresina conradi Stempffer, 1956
Eresina fontainei Stempffer, 1956
Eresina rougeoti Stempffer, 1956
Falcuna orientalis (Bethune-Baker, 1906)
Hypolycaena antifaunus (Westwood, 1851)
Hypolycaena coerulea Aurivillius, 1895
Hypolycaena hatitia Hewitson, 1865
Hypolycaena hira Druce, 1890
Hypolycaena nigra Bethune-Baker, 1914
Iolaus aelians entebbeae (Riley, 1928)
Iolaus bellina exquisita (Riley, 1928)
Iolaus gabunica (Riley, 1928)
Iolaus iaxis albomaculata Sharpe, 1904
Iolaus kayonza (Stempffer & Bennett, 1958)
Iolaus menas Druce, 1890
Iolaus poecilola (Riley, 1928)
Iolaus pollux albocaerulea (Riley, 1929)
Iolaus (Philolaus) parasilanus Rebel, 1914
Iolaus (Tameitheira) timon orientis Hulstaert, 1924
Iridana unyoro Stempffer, 1964
Lachonocnema exiguus Holland, 1890
Larinopoda soyauzi (Dewitz, 1879) = junior synonym of
Larinopoda tera (Hewitson, 1873)
Lepidochrysops dolorosa (Trimen, 1887)
Leptotes babaulti (Stempffer, 1935)
Leptotes marginalis (Aurivillius, 1925)
Leptotes piriithous insulanus (Aurivillius, 1924)
- Leptotes* sp.
Lipaphaneus luxura Rebel, 1994
Liptena hapale Talbot, 1935
Liptena ideoides Dewitz, 1886
Liptena kiellandi Congdon & Collins, 1998
Liptena nigromarginata Stempffer, 1961
Liptena opaca immaculata Grünberg, 1910
Liptena praestans (Grose-Smith, 1901)
Liptena undina (Smith & Kirby, 1894)
Liptenara hiendlmayri (Dewitz, 1887)
Megalopalpus zymna (Westwood, 1851)
Micropentila bunyoro Stempffer & Bennett, 1965
Micropentila mpigi Stempffer & Bennett, 1965
Micropentila ugandana Hawker-Smith, 1933
Micropentila victoriae Stempffer & Bennett, 1965
Mimacraea krausei Dewitz, 1889
Mimacraea viviana Talbot, 1935
Mimeresia dinora discirubra (Talbot, 1937)
Mimeresia neavei (Joicey & Talbot, 1921)
Mimeresia russulus unyoro Stempffer, 1961
Oboronia punctatus (Dewitz, 1879)
Ornipholidotos jacksoni Stempffer, 1961
Ornipholidotos katangae Stempffer, 1947
Ornipholidotos kirbyi (Aurivillius, 1895)
Ornipholidotos latimargo (Hawker-Smith, 1933)
Ornipholidotos overlant Stempffer, 1947
Oxyldes faunus (Drury, 1773)
Pentila alba Dewitz, 1886
Pentila cloetensi Aurivillius, 1898
Pentila cloetensi albida Hawker-Smith, 1933
Pentila landbecki Stempffer & Bennett, 1961
Pentila pauli clarensis Neave, 1903
Pentila sp.
Pentila tachyroides Dewitz, 1879
Pentila umangiana connectens Hulstaert, 1924
Pilodeudorix camerona (Plötz, 1880)
Pilodeudorix mera (Hewitson, 1873)
Pseudaletia angustimargo Hawker-Smith, 1926
Pseuderestia bent Stempffer, 1961
Pseudonacadaba sichela (Wallengren, 1857)
Ptelina carnuta (Hewitson, 1873)
Sipindastis crustaria (Holland, 1890)
Spalgis lemolea Druce, 1890
Telipna aurivillii jefferyi Jackson, 1969
Telipna citrimaculata Schultz, 1916
Telipna consanguinea Rebel, 1914
Telipna nyanza Neave, 1904
Telipna sanguinea (Plötz, 1880)
Tetrarhanis ilma ugandae (Stempffer, 1964)
Tetrarhanis ilma (Hewitson, 1873)
Thermoniphys togara (Plötz, 1880)
Toxochitona sankuru Stempffer, 1961
Uranothauma antinorii felihami (Stevenson, 1934)
Uranothauma falckensteini (Dewitz, 1879)

FAMILY Lymantriidae

Dasychira acromyctoides Collenette, 1937
Dasychira barbara Hering, 1926
Dasychira brachycera Collenette, 1937
Dasychira tikilembae Aurivillius, 1925
Dasychira melochlora Hering, 1926
Dasychira ooidophaera Collenette, 1960
Euproctis proxantha (Holland, 1893)
Euproctis utilis Swinhoe, 1903
Hemerophanes enos (Druce, 1896)
Hemerophanes libya (Druce, 1896)
Heteromygia flavescens (Holland, 1893)
Heteromygia manicata (Aurivillius, 1892)
Lomadonta citrigo Hering, 1926
Marbla paradoxa heteropa Collenette, 1953
Marblepsis macrocera Sharp
Mylantria xanthospila (Plötz, 1880)
Naroma nigrolunata Collenette, 1931
Othoeda cafra (Drury, 1782)
Pirga mnemosyne Rebel, 1914
Pseudarcia nivea Bethune-Baker, 1911
Rhyopteryx psolocomiama Collenette, 1961
Sphragista kitchingi (Bethune-Baker, 1909)
Stracena fuscivina Swinhoe, 1903
Stracilla translucida (Oberthür, 1880)

FAMILY Metarbeliidae

Lebedodes coxula Holland, 1893
Lebedodes endomela (Bethune-Baker, 1909)
Lebedodes schaeferi Grünberg, 1911
Lebedodes violascens Gaede, 1929

FAMILY Noctuidae

Achaea albifimbria (Walker, 1869)
Achaea dasybasis Hampson, 1913
Achaea faber Holland, 1894
Achaea obvia Hampson, 1913
Achaea thermopera Hampson, 1913
Anoba biangulata (Walker, 1869)
Anticarsia irrorata (Fabricius, 1781)
Auchenisa schausi Hampson, 1905
Calliodes pretiosissima Holland, 1892
Caryonopera triangularis (Bethune-Baker, 1911)
Cetola pulchra (Bethune-Baker, 1911)
Ctenoplusia euchroides (Carcason, 1965)
Cyligramma fluctuosa Drury, 1773
Egira natalensis (Butler, 1875)
Eudocima divitiosa (Walker, 1869)
Eudocima fullonia (Clerk, 1764) = junior synonym of *Eudocima phalonia* (Linnaeus, 1763)
Eudrapa mollis Walker, 1857
Eutelia leighi Hampson, 1905

Eutelia malanga Bethune-Baker, 1911
Focillipis eclipsis Hampson, 1926
Giria bubastis Fawcett, 1916 = junior synonym of *Giria pectinicornis* (Bethune-Baker 1909)
Halochroa aequatoria (Mabille, 1879)
Holoxanthina lutosa (Karsch, 1895)
Hypopleuroma acutissima (Bethune-Baker, 1911)
Hypopyra capensis Herrich-Schäffer, 1854
Lacera alope (Cramer, 1780)
Leocyma camilla (Druce, 1887)
Libystica costalis (Walker, 1865)
Libystica crenata Hampson, 1926
LOBOPHYLLODES miniatus Gruenberg, 1907
Lophocrama phoenicochlora Hampson, 1912
Lophoptera litigiosa (Boisduval, 1833)
Lycophotia viridis Hampson, 1911
Marcipa argyrosema Hampson, 1926
Marcipa magniplaga Hampson, 1926
Marcipa monosema Hampson, 1926
Maxera brachypecten Hampson, 1926
Mecodina africana (Holland, 1894)
Mecodina apicia Hampson, 1926
Mocis repanda (Fabricius, 1794)
Mocis undata (Fabricius, 1775)
Nagia amplificans (Walker, 1858)
Nyodes prasinodes (Prout, 1921)
Ogovia bolengensis (Holland, 1920)
Ophiura selenaris (Guenée, 1852)
Parachalciope agonia Hampson, 1913
Parachalciope benitensis (Holland, 1894)
Pedoptila nigrocristata Joicey & Talbot, 1921
Pericyma polygramma Hampson, 1913
Phaegorista leucomelas Herrich-Schäffer, 1855)
Phytometra carnea (Prout, 1922)
Pleuronodes anconia Hampson, 1926
Physopalpa adrasta (Felder & Rogenhofer, 1874)
Polytelodes florifera (Walker, 1858)
Pseudogiria angulata (Bethune-Baker, 1909)
Rhandiphora aethiops (Grünberg, 1907)
Soloe trigutta Walker, 1854
Soloella guttivaga (Walker, 1854)
Spodoptera littoralis (Boisduval, 1833)
Tatorinia pallidipennis Hampson, 1926
Tarivodes tamsi Gaede, 1939
Thyas metaphaea (Hampson, 1913)
Thyas parallepipeda (Guenée, 1852)
Thyas rubricata (Holland, 1894)
Trichoplusia roseofasciata (Carcason, 1965)

FAMILY Nolidae

Gigantoceras geometroptera Holland, 1893
Hypodeva superba (Druce, 1911)
Risoba lunata (Möschler, 1887)

FAMILY Notodontidae

Achaera ochribasis (Hampson, 1910)
Anthea olivaceomicans Strand, 1912
Desmeocraera basalis Distant, 1899
Desmeocraera brunneicosta Gaede, 1928
Desmeocraera confluens Gaede, 1928
Epanaphe carteri Walsingham, 1900
Epimetula albipuncta (Gaede, 1928)
Galona serena Karsch, 1895
Odontoperas heterogyne (Hampson, 1910)
Phalera imitata Druce, 1896
Stauropissia viridipennis Strand, 1912
Zamana bitia (Stoll, 1780)

FAMILY Nymphalidae

Amantia hecate hecate (Butler, 1886)
Amantia tartarea Mabille, 1876
Bicyclus abnormis (Dudgeon, 1909)
Bicyclus auricruda (Butler, 1868)
Bicyclus buea (Strand, 1912)
Bicyclus sambulos (Hewitson, 1877)
Bicyclus sambulos cyaneus Condamin, 1961
Bicyclus sebetus kochi (Grünberg, 1910)
Bicyclus sebetus sebetus (Hewitson, 1877)
Bicyclus smithi (Aurivillius, 1928)
Bicyclus uniformis (Bethune-Baker, 1908)
Bicyclus vulgaris (Butler, 1868)
Charaxes bratus (Cramer, 1779)
Charaxes candiopo (Godart, 1824)
Charaxes castor castor (Cramer, 1775)
Charaxes cynthia kinduana Le Cerf, 1923
Charaxes cynthia propinqua van Someren, 1969 = junior synonym of *Charaxes cynthia kinduana* Le Cerf, 1923
Charaxes fulvescens (Aurivillius, 1891)
Charaxes lucretius intermedius Le Cerf, 1923
Charaxes mumenis aequatorialis van Someren, 1972
Charaxes tridates tridatus Röber, 1936
Charaxes tridates (Cramer, 1777)
Danaus chrysippus (Linneus, 1758)
Elymnias hammakoo rattrayi Sharpe, 1902
Gnophodes betsimena parmeno Doubleday, 1849
Gnophodes minchini Heron, 1909
Lachnopyra antictia (Hübner, 1819)
Libythea labdaca Westwood, 1851

FAMILY Oecophoridae

Cyanocrates grandis (Druce, 1912)

FAMILY Papilionidae

Graphium angolans (Goeze, 1779)
Graphium leonidas (Fabricius, 1793)

Papilio cynorta Fabricius, 1793
Papilio dardanus Brown, 1776
Papilio galliemes Distant, 1879
Papilio lormieri Distant, 1874
Papilio nireus Linnaeus, 1758
Papilio phorcus Cramer, 1775
Papilio zenobia Fabricius, 1775
Papilio zoroastres Druce, 1878

FAMILY Pieridae

Appias sylvia (Fabricius, 1775)
Eureka hecabe (Linnaeus, 1758)
Nepheromia argta (Fabricius, 1775)

FAMILY Psychidae

Acanthopsyche (Metisa) alba Janse, 1917

FAMILY Pyralidae

Herculia ignefimbrialis Hampson, 1906

FAMILY Saturniidae

Bunaepsis licharbas (Maassen in Maassen & Weyding, 1885)
Epiphora albida (Druce, 1886)
Goodia hierax Jordan, 1922
Imbrasia (Nudawrelia) diome (Fabricius, 1793)
Imbrasia (Nudawrelia) emini Butler, 1888
Ludia hansali Felder, 1874
Ludia pupillata Strand, 1911
Orthogoniopitulum bimaculatum Rougeot [manuscript name not validly described]
Orthogoniopitulum vestigiata Holland, 1893

FAMILY Sphingidae

Andriasa contraria Walker, 1856
Antinephele achlora Holland, 1892
Antinephele maculifera Holland, 1889
Antinephele marcida Holland, 1893
Dovania poecila Rothschild & Jordan, 1903
Falcatula falcatula (Rothschild & Jordan, 1903)
Hippotion aporodes Rothschild & Jordan, 1910
Hippotion irregularis (Walker, 1856)
Hypaedalea butleri (Rothschild, 1894)
Macroglossum trochilus (Hübner, 1823)
Neopolyptycus serrator Jordan, 1929
Nephele aequivalens (Walker, 1856)
Nephele discifera Karsch, 1891
Nephele funebris (Fabricius, 1793)
Nephele oenopion continentis Rothschild & Jordan, 1903
Nephele rectangularata Rothschild, 1895

Poliana buchholzi (Ploetz 1880)
Polypthychoides digitata (Karsch, 1891)
Polypthychus carteri (Butler, 1852)
Polypthychus nigripilaga Rothschild & Jordan, 1903
Praedora plagiata Rothschild & Jordan, 1903
Rufoclanis rosea (Druce, 1882)
Temnora cremulata (Holland, 1893)
Temnora eranga (Holland, 1889)
Temnora iapygoides (Holland, 1889)
Theretra orpheus (Herrich-Schäffer, 1854)
Xanthopan morgani (Walker, 1856)

FAMILY Tineidae

Pitharcha chalinæa Meyrick, 1908

FAMILY Uraniidae

Dissoprugna erycinaria (Guenée, 1857)
Dissoprugna plentifascia (Rebel, 1914)

FAMILY Zygaenidae

Astyloneura esmeralda Hampson, 1919
Salinca flavifrons Plötz, 1880

ORDER Diptera

FAMILY Platystomatidae

Clitodoca fenestralis (Macquart, 1843)

FAMILY Tabanidae

Tabanus marmorosus Surcouf, 1909
Tabanus insignis Loew, 1858

ORDER Hymenoptera

FAMILY Braconidae

Archibracon pulchripennis (Cameron, 1906)

Acknowledgements. Evaluation and digitisation of specimens, which formed the base for the current publication was supported by the German Federal Ministry of Education and Research (Project BIOTA Africa E15) in collaboration with the National Museums of Kenya.

REFERENCES

- Clausnitzer V (2010) Dragonflies - Kakamega Forest. http://www.biota-africa.org/East_Dragonfly_main_ba.php?Page_ID=L600_13_07 [last accessed June 2010]
- Copeland RC (2010) Fruit flies - Kakamega Forest. http://www.biota-africa.org/East_FruitFlies_main_ba.php?Page_ID=L600_13_10 [last accessed June 2010]
- Gikungum M, Hagen M (2010) Bees of Kakamega Forest. http://www.biota-africa.org/East_Bees_main_ba.php?Page_ID=L600_13_09 [last accessed June 2010]
- Hita García F, Fischer G (2010) Ants - Kakamega Forest. http://www.biota-africa.org/East_Ants_main_ba.php?Page_ID=L600_13_15 [last accessed June 2010]
- Kühne L, Holslein J, Häuser C (2010) Butterflies and moths of Kakamega Forest. http://www.biota-africa.org/East_Butterflies_main_ba.php?Page_ID=L600_13_14 [last accessed June 2010]
- Templin M (2010) Birds - Kakamega Forest. http://www.biota-africa.org/East_Birds_main_ba.php?Page_ID=L600_13_08 [last accessed June 2010]
- Wagner P, Lötters S (2010) Amphibia - Kakamega Forest. http://www.biota-africa.org/East_Amphibia_main_ba.php?Page_ID=L600_13_05 [last accessed June 2010]
- Wagner P, Lötters S (2010) Reptiles - Kakamega Forest. http://www.biota-africa.org/East_Reptilia_main_ba.php?Page_ID=L600_13_06&PHPSSESSID=d9db310cf7d2db1e14b0e9e4ca78ad6 [last accessed June 2010]